

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.comOrganization Accredited
by Joint Commission International**LABORATORY INVESTIGATION REPORT**

Name	: MAY CHO	Referral Clinic	: PESHAWAR MEDICAL CENTER		
D.O.B / Sex	: 23-May-1998 (24 Years) / FEMALE	Referral Doctor	: DR. SAJID		
PatientID/Nationality	: 158606 / MYANMAR	LabID / Clinic	: 108510 / 36956		
Test Name	Result	Unit	No.	Ref. Range	Methodology

BIOCHEMISTRY

CHLORIDE	102	mmol/L	95-105	Direct ISE
POTASSIUM	5.0	mmol/L	3.5-5.5	Direct ISE
SODIUM	142	mmol/L	135-146	Direct ISE

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 27/Jun/22 08:11 AM
Reported On : 27/Jun/22 12:31 PM
Authorized On : 27/Jun/22 12:31 PM
Printed On : 27/Jun/22 01:12 PM

SILPA J S
LAB TECHNICIAN
38387451



TRUST MEDICAL LABORATORY

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com

Organization Accredited
by Joint Commission International

LABORATORY INVESTIGATION REPORT

Name	: MAY CHO	Referral Clinic	: PESHAWAR MEDICAL CENTER		
D.O.B / Sex	: 23-May-1998 (24 Years) / FEMALE	Referral Doctor	: DR. SAJID		
PatientID/Nationality	: 158606 / MYANMAR	LabID / Clinic	: 108510 / 36956		
Test Name	Result	Unit	No.	Ref. Range	Methodology

HAEMATOLOGY

Volumetric impedance & Spectrophotometry

RBCs	5.11 ^H	10 ⁶ ul	3.90 - 5.03
Hemoglobin	13.52	g/dL	12 - 15.5
Haematocrit	41.2	%	38.8 - 50
Mean cell volume	80.7 ^L	fL	81.6 - 98.3
Mean cell hemoglobin	26.5	pg/mL	27 - 34
Mean cell hemoglobin concentration	32.8	g/dl	32 - 36
RDW	16.7 ^H	g/dL	11.9 - 15.5
WBC	2.75 ^L	x 10 ³ /uL	3.5 - 10.5
MPV	8.56	fL	7.42 - 10.77

Diffrencial Count (Flow cytometry /Smear)

Neutrophil	56.44	%	50 - 65
Lymphocyte	30.45	%	25 - 40
Monocytes	11.61 ^H	%	3 - 7
Eosinophil	1.16	%	0 - 3
Basophil	0.34	%	0 - 1
Platelet	295	x 10 ³ /uL	150 - 450

**** End of Report ****

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 27/Jun/22 08:11 AM
Reported On : 27/Jun/22 12:31 PM
Authorized On : 27/Jun/22 12:31 PM
Printed On : 27/Jun/22 01:12 PM

SILPA J S
LAB TECHNICIAN
38387451