

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com

Organization Accredited
by Joint Commission International**LABORATORY INVESTIGATION REPORT**

Name	: ATUL SHARMA	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 22-Feb-1992 (30 Years) / MALE	Referral Doctor	: DR.MARVIS
PatientID/Nationality	: 159539 / INDIA	LabID / Clinic No.	: 109725 / 36940

Test Name	Result	Unit	Ref. Range	Methodology
BIOCHEMISTRY				
CHLORIDE	102	mmol/L	95-105	Direct ISE
POTASSIUM	5.2	mmol/L	3.5-5.5	Direct ISE
SODIUM	140	mmol/L	135-146	Direct ISE

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 25/Jul/22 08:18 AM
Reported On : 25/Jul/22 12:51 PM
Authorized On : 25/Jul/22 12:51 PM
Printed On : 25/Jul/22 03:27 PM

SILPA J S
LAB TECHNICIAN
38387451



ce & Spectrophotometry

TRUST MEDICAL LABORATORY

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988765, Fax : 04-2398299, Email: info@tml.ae

Unit

Ref. Range

HAEMATOLOGY

Organization Accredited
by Joint Commission International

LABORATORY INVESTIGATION REPORT

Haematocrit	44.7	%	38.8 - 50
Mean cell volume	79.6 ^L	fL	81.2 - 95.1
Mean cell hemoglobin	25.3 ^L	pg/mL	27 - 34
Mean cell hemoglobin concentration	31.8 ^L	g/dl	32 - 37
RDW	16.9 ^H	g/dl	11.8 - 15.6
WBC	7.41	x 10 ³ /uL	3.5 - 10.5
MPV	12.35 ^H	fL	7.42 - 10.77
Diffrencial Count (Flow cytometry /Smear)			
Neutrophil	72.05 ^H	%	50 - 65
Lymphocyte	20.77 ^L	%	25 - 40
Monocytes	6.47	%	3 - 7
Eosinophil	0.37	%	0 - 3
Basophil	0.35	%	0 - 1
Platelet	153.6	x 10 ³ /uL	150 - 450

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 25/Jul/22 08:18 AM
Reported On : 25/Jul/22 12:51 PM
Authorized On : 25/Jul/22 12:51 PM
Printed On : 25/Jul/22 03:27 PM

SILPA J S
LAB TECHNICIAN
38387451



Result

Unit

Ref. Range



TRUST MEDICAL LABORATORY

SEROLOGY

IN (CRP)

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

mg/l

0-6

Imn

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com

LABORATORY INVESTIGATION REPORT

Name	: ATUL SHARMA	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 22-Feb-1992 (30 Years) / MALE	Referral Doctor	: DR.MARVIS
PatientID/Nationality	: 159539 / INDIA	LabID / Clinic No.	: 109725 / 36940

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 25/Jul/22 08:18 AM
Reported On : 25/Jul/22 12:51 PM
Authorized On : 25/Jul/22 12:51 PM
Printed On : 25/Jul/22 03:27 PM

SILPA J S
LAB TECHNICIAN
38387451



Result

Unit

Ref. Range



TRUST MEDICAL LABORATORY

URINE ANALYSIS

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O.Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com

Pale Yellow - Amber

Clear

LABORATORY INVESTIGATION REPORT

Specific gravity	1.015		1.003 - 1.030	Bromthymol Blue
Color	Yellow			Methyl Red And Bromthymol Blue
Glucose	Negative	Referral Clinic	5.0 - 7.0	: PESHAWAR MEDICAL CENTER
Protein	Negative	Referral Doctor	Negative	: DR.MARVIS
Albumin	Negative	LabID / Clinic No.	Negative	: 109725 / 36940
Ketone	Negative		Negative	Sodium Nitroprusside
Urobilinogen	Negative		Negative	Modified Ehrlich Reaction
Bilirubin	Negative		Negative	Azo-Coupling Reaction
Nitrite	Negative		Negative	P-Arsanilic Acid
Blood	Negative		Negative	TMB and diisopropylbenene dihydroperoxide
Leukocytes	Negative		Negative	Phenylpyrrole And Diazonium Salt
Microscopic Examination				
Pus cells	1-2	/HPF	< 4 cells / HPF	Microscopy
RBC	0-1	/HPF	< 3 cells / HPF (can vary)	Microscopy
Epithelial cells	0-1	/HPF	< /=10 cells/hpf	Microscopy
Bacteria	None		None or Few (< 1000/ml)	Microscopy
Crystals	Nil		Nil	Microscopy
Mucus thread	Nil		Nil	Microscopy
Cast	Nil		Nil	Microscopy
Other	Nil		Nil	Microscopy

**** End of Report ****

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 25/Jul/22 08:18 AM
Reported On : 25/Jul/22 12:51 PM
Authorized On : 25/Jul/22 12:51 PM
Printed On : 25/Jul/22 03:27 PM

SILPA J S
LAB TECHNICIAN
38387451