

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com**LABORATORY INVESTIGATION REPORT**

Name	: AHMED MOHSEN	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 25-Mar-1987 (35 Years) / MALE	Referral Doctor	: DR.MARVIS
PatientID/Nationality	: 159882 / EGYPT	LabID / Clinic No.	: 111167 / 36809

Test Name	Result	Unit	Ref. Range	Methodology
HAEMATOLOGY				

Volumetric impedance & Spectrophotometry

RBCs	5.69	10 ⁶ ul	4.32 - 5.72
Hemoglobin	16.54	g/dL	13.5 - 17.5
Haematocrit	49.0	%	38.8 - 50
Mean cell volume	86.1	fL	81.2 - 95.1
Mean cell hemoglobin	29.1	pg/mL	27 - 34
Mean cell hemoglobin concentration	33.8	g/dl	32 - 37
RDW	14.9	g/dL	11.8 - 15.6
WBC	10.26	x 10 ³ /uL	3.5 - 10.5
MPV	8.01	fL	7.42 - 10.77

Differential Count (Flow cytometry /Smear)

Neutrophil	63.63	%	50 - 65
Lymphocyte	28.41	%	25 - 40
Monocytes	4.29	%	3 - 7
Eosinophil	3.53 ^H	%	0 - 3
Basophil	0.13	%	0 - 1
Platelet	305.8	x 10 ³ /uL	150 - 450

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 03/Aug/22 08:45 AM
Reported On : 03/Aug/22 11:41 AM
Authorized On : 03/Aug/22 11:41 AM
Printed On : 03/Aug/22 01:53 PM

SILPA J S
LAB TECHNICIAN
38387451

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.comOrganization Accredited
by Joint Commission International**LABORATORY INVESTIGATION REPORT**

Name	: AHMED MOHSEN	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 25-Mar-1987 (35 Years) / MALE	Referral Doctor	: DR.MARVIS
PatientID/Nationality	: 159882 / EGYPT	LabID / Clinic No.	: 111167 / 36809

Test Name	Result	Unit	Ref. Range	Methodology
SEROLOGY				
C-REACTIVE PROTEIN (CRP)	4.33	mg/l	0-6	Immunoturbidimetry

**** End of Report ****

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 03/Aug/22 08:45 AM
Reported On : 03/Aug/22 11:41 AM
Authorized On : 03/Aug/22 11:41 AM
Printed On : 03/Aug/22 01:53 PM

SILPA J S
LAB TECHNICIAN
38387451