

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com**LABORATORY INVESTIGATION REPORT**

Name	: DEVAVRATA VINAYAK	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 21-Mar-1986 (36 Years) / MALE	Referral Doctor	: DR.MARVIS
PatientID/Nationality	: 160141 / INDIA	LabID / Clinic No.	: 111482 / 37567

Test Name	Result	Unit	Ref. Range	Methodology
-----------	--------	------	------------	-------------

HAEMATOLOGY**Volumetric impedance & Spectrophotometry**

RBCs	4.92	10 ⁶ ul	4.32 - 5.72
Hemoglobin	15.88	g/dL	13.5 - 17.5
Haematocrit	47.4	%	38.8 - 50
Mean cell volume	96.4 ^H	fL	81.2 - 95.1
Mean cell hemoglobin	32.3	pg/mL	27 - 34
Mean cell hemoglobin concentration	33.5	g/dl	32 - 37
RDW	14.5	g/dL	11.8 - 15.6
WBC	5.41	x 10 ³ /uL	3.5 - 10.5
MPV	8.92	fL	7.42 - 10.77

Differential Count (Flow cytometry /Smear)

Neutrophil	49.83 ^L	%	50 - 65
Lymphocyte	42.44 ^H	%	25 - 40
Monocytes	4.97	%	3 - 7
Eosinophil	2.55	%	0 - 3
Basophil	0.21	%	0 - 1
Platelet	312.1	x 10 ³ /uL	150 - 450

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 09/Aug/22 08:47 AM
Reported On : 09/Aug/22 03:23 PM
Authorized On : 09/Aug/22 03:23 PM
Printed On : 09/Aug/22 04:24 PM

SILPA J S
LAB TECHNICIAN
38387451

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com**LABORATORY INVESTIGATION REPORT**

Name	: DEVAVRATA VINAYAK	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 21-Mar-1986 (36 Years) / MALE	Referral Doctor	: DR.MARVIS
PatientID/Nationality	: 160141 / INDIA	LabID / Clinic No.	: 111482 / 37567

Test Name	Result	Unit	Ref. Range	Methodology
SEROLOGY				
C-REACTIVE PROTEIN (CRP)	4.82	mg/l	0-6	Immunoturbidimetry

**** End of Report ****

Dr. Uday Sudhalker
Clinical Pathologist
 DHA-P-0123520



Registered On : 09/Aug/22 08:47 AM
 Reported On : 09/Aug/22 03:23 PM
 Authorized On : 09/Aug/22 03:23 PM
 Printed On : 09/Aug/22 04:24 PM

SILPA J S
LAB TECHNICIAN
 38387451