

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com**LABORATORY INVESTIGATION REPORT**

Name	: NAFEESA	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 01-Jan-1966 (56 Years) / FEMALE	Referral Doctor	: PESHAWAR MEDICAL CENTER(A
PatientID/Nationality	: 160221 / INDIA	LabID / Clinic No.	: 111582 / 36502

Test Name	Result	Unit	Ref. Range	Methodology
BIOCHEMISTRY				
ALANINE AMINOTRANSFERASE(ALT) (SGPT)	18.2	U/l	<32	IFCC without pyridoxal phosphate
ASPARTATE AMINO TRANSFERASE(AST) (SGOT)	57.9 ^H	U/l	< 31	IFCC without pyridoxal phosphate
RANDOM BLOOD SUGAR(RBS)	132	mg/dl	70 - 140	Hexokinase

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 11/Aug/22 11:31 AM
Reported On : 11/Aug/22 12:07 PM
Authorized On : 11/Aug/22 12:07 PM
Printed On : 11/Aug/22 04:38 PM

SILPA J S
LAB TECHNICIAN
38387451

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com**LABORATORY INVESTIGATION REPORT**

Name	: NAFEESA	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 01-Jan-1966 (56 Years) / FEMALE	Referral Doctor	: PESHAWAR MEDICAL CENTER(A
PatientID/Nationality	: 160221 / INDIA	LabID / Clinic No.	: 111582 / 36502

Test Name	Result	Unit	Ref. Range	Methodology
-----------	--------	------	------------	-------------

HAEMATOLOGY**Volumetric impedance & Spectrophotometry**

RBCs	4.58	10 ⁶ ul	3.90 - 5.03
Hemoglobin	13.26	g/dL	12 - 15.5
Haematocrit	40.2	%	38.8 - 50
Mean cell volume	87.8	fL	81.6 - 98.3
Mean cell hemoglobin	29.0	pg/mL	27 - 34
Mean cell hemoglobin concentration	33.0	g/dl	31 - 36
RDW	15.7 ^H	g/dL	11.9 - 15.5
WBC	5.62	x 10 ³ /uL	3.5 - 10.5
MPV	9.17	fL	7.42 - 10.77

Diffrencial Count (Flow cytometry /Smear)

Neutrophil	49.80 ^L	%	50 - 65
Lymphocyte	37.32	%	25 - 40
Monocytes	8.37 ^H	%	3 - 7
Eosinophil	4.19 ^H	%	0 - 3
Basophil	0.33	%	0 - 1
Platelet	234.4	x 10 ³ /uL	150 - 450
Erythrocyte Sedimentation Rate	15	mm/1st hr	0 - 20

Dr. Uday Sudhalker
Clinical Pathologist
 DHA-P-0123520



Registered On : 11/Aug/22 11:31 AM
 Reported On : 11/Aug/22 12:07 PM
 Authorized On : 11/Aug/22 12:07 PM
 Printed On : 11/Aug/22 04:38 PM

SILPA J S
LAB TECHNICIAN
 38387451

**TRUST MEDICAL LABORATORY**

M1 Dubai Islamic Bank same building, Al wuheida Road,

Al Mamzar Dubai UAE P.O Box:94733

Tel No. : 04-23988766, Fax : 04-2398299, Email: info@tmluae.com

Organization Accredited
by Joint Commission International**LABORATORY INVESTIGATION REPORT**

Name	: NAFEESA	Referral Clinic	: PESHAWAR MEDICAL CENTER (
D.O.B / Sex	: 01-Jan-1966 (56 Years) / FEMALE	Referral Doctor	: PESHAWAR MEDICAL CENTER(A
PatientID/Nationality	: 160221 / INDIA	LabID / Clinic No.	: 111582 / 36502

Test Name	Result	Unit	Ref. Range	Methodology
URINE ANALYSIS				
Colour	Pale Yellow		Pale Yellow - Amber	Manual
Appearance	Clear		Clear	Manual
Chemical Examination				
Specific gravity	1.020		1.003 - 1.030	Bromthymol Blue
Ph	6.0		5.0 - 7.0	Methyl Red And Bromthymol Blue
Glucose	Negative		Negative	Hexokinase/G-6-Pdh
Protein	Negative		Negative	Tetrabromophenol Blue
Ketone	Negative		Negative	Sodium Nitroprusside
Urobilinogen	Negative		Normal	Modified Ehrlich Reaction
Bilirubin	Negative		Negative	Azo-Coupling Reaction
Nitrite	Negative		Negative	P-Arsanilic Acid
Blood	Negative		Negative	TMB and diisopropylbenene dihydroperoxide
Leukocytes	Negative		Negative	Phenylpyrrole And Diazonium Salt
Microscopic Examination				
Pus cells	1-2	/HPF	< 4 cells / HPF	Microscopy
RBC	0-1	/HPF	< 3 cells / HPF (can vary)	Microscopy
Epithelial cells	3-4	/HPF	< /=10 cells/hpf	Microscopy
Bacteria	None		None or Few (< 1000/ml)	Microscopy
Crystals	Nil		Nil	Microscopy
Mucus thread	Nil		Nil	Microscopy
Cast	Nil		Nil	Microscopy
Other	Nil		Nil	Microscopy

**** End of Report ****

Dr. Uday Sudhalker
Clinical Pathologist
DHA-P-0123520



Registered On : 11/Aug/22 11:31 AM
Reported On : 11/Aug/22 12:07 PM
Authorized On : 11/Aug/22 12:07 PM
Printed On : 11/Aug/22 04:38 PM

SILPA J S
LAB TECHNICIAN
38387451