

Name : Mia Capobianco
Lab. No. : 3022111773
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-78399
File No. : 37628

Sample Date : 21/08/2022 12:59 PM
Report Date : 21/08/2022 13:35 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah	Age : 20 Year	DOB 12/01/2002	Sex : Female
---	----------------------	-----------------------	---------------------

Complete Blood Count - (CBC)

Test	Result	Unit	Ref. Range
Hemoglobin	12.7	g/dL	12 - 15.5
Hematocrit	39.5	%	34.9 - 44.5
Red cell count	4.78	$\times 10^{12}/L$	3.9 - 5.03
MCV	82.6	fL	81.6 - 98.3
MCH	26.6	pg	26.5 - 32.6
MCHC	32.2	g/dL	32 - 36
RDW	12.9	%	11.9 - 15.5
Total Leucocytic Count	6.70	$\times 10^9/L$	3.5 - 10.5
Basophils absolute count	0.06	$\times 10^9/L$	0 - 0.3
Basophils relative count	0.90	%	
Eosinophils absolute count	0.67	$\times 10^9/L$	0.05 - 0.5
Eosinophils relative count	10.00	%	
Neutrophils absolute count	3.27	$\times 10^9/L$	1.7 - 7
Neutrophils relative count	48.81	%	
Lymphocytes absolute count	2.16	$\times 10^9/L$	0.9 - 3.1
Lymphocytes relative count	32.24	%	
Monocytes absolute count	0.54	$\times 10^9/L$	0.3 - 0.9
Monocytes relative count	8.06	%	

Name : Mia Capobianco
Lab. No. : 3022111773
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-78399
File No. : 37628

Sample Date : 21/08/2022 12:59 PM
Report Date : 21/08/2022 13:35 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah Age : 20 Year DOB 12/01/2002 Sex : Female

Complete Blood Count - (CBC)

Test	Result	Unit	Ref. Range
Platelet Count	395	x10 ⁹ /L	150 - 450

Comments

Sample type: EDTA Whole Blood

Methodology: (Hemoglobin =Cyanmethemoglobin) (Hematocrit = Calculation) (RBC, PLT, WBC and Diff Count = Flow cytometry)

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
License no. 10944644-001

** End Of Report **

Name : Mia Capobianco
Lab. No. : 3022111773
Contract. : Nas (WN, VN)-Dubai Branch
Patient No. : 30-78399
File No. : 37628
Sample Date : 21/08/2022 12:59 PM
Report Date : 21/08/2022 13:29 PM
Doctor references : Dr. Marvis Enyl

Branch : Al Borg Lab. Dubai Deirah
Age : 20 Year
DOB 12/01/2002
Sex : Female

Chemistry Unit

Test	Result	Unit	Ref. Range
Thyroid Stimulating Hormone (TSH)	2.39	uIU/mL	0.27 - 4.2

Comments

Note: TSH Reference range in pregnant women is varied according to the gestational age:
 • First trimester: 0.100-2.500 uIU/mL
 • Second trimester: 0.200-3.000 uIU/mL
 • Third trimester: 0.300-3.000 uIU/mL
 Primary sample: Serum
 Methodology: Electrochemiluminescence

Reviewed By:



Dr. Shailendra Rathod.MD
 Laboratory Director
 Physician Specialist Clinical
 Pathology
 License no. 10944644-001

** End Of Report **

Verified By : Shailendra Rathod.MD

Printed By: System

All Rights Reserved © National Technology

Printed Date PM 19:31 21/08/2022

Page 1 Of 1

Powered by LDM www.nt-me.com