

Name : Musammat Nasrin **Sample Date** : 05/12/2022 19:33 PM
Lab. No. : 3022121343 **Report Date** : 05/12/2022 21:45 PM
Contract. : Peshawer medical L.L.C
Patient No. : 30-85049
File No. : 38744

Branch : Al Borg Lab. Dubai **Age** : 24 Year **DOB** 12/06/1998 **Sex** : Male
Deirah

Glucose Tolerance Test-OGTT (75g)

Test	Result	Unit	Ref. Range
Glucose in Plasma (Fasting)	74	mg/dl	70 - 100 Normal: 70 - 100 Pre-Diabetes: 100 -125 Diabetes: ≥ 126

Comments

Primary sample: Plasma
 Methodology :Enzymatic reference method with hexokinase

Glucose after 1 hr	118	mg/dl	Less Than 180
Glucose after 2 hrs	111	mg/dl	Less Than 140

Comments

Interpretation:	Fasting	2-Hr Tolerance
Normal	<100	<140
Impaired Fasting	100-125	
Impaired Tolerance		140-199
Diabetes	≥126*	≥200*

*Must be confirmed by testing on a subsequent day.

Primary sample: Plasma
 Methodology: Enzymatic reference method with hexokinase

Reviewed By:



Dr. Shailendra Rathod.MD
Laboratory Director
Physician Specialist Clinical
Pathology
 License no. 10944644-001

** End Of Report **

Verified By : Mohd Ismail

Printed By: System

All Rights Reserved © National Technology

Page

1 Of 1

AM :Printed Date 10:57 06/12/2022

Powered by LDM www.nt-me.com