

LABORATORY REPORT

Name	: AFFAN NAWAZ AFSAR ALI	File. No.	: AAL02-335013
DOB/Gender	: 10-02-1999 (24 Yrs 6 Month 2 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232230169	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 11-08-2023 14:00	Clinic File No	: 40671
Insurance	: NAS ADMINISTRATION SERVICES LTD		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.26	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	15.1	g/dl	13.0 - 17.0	Photometry-SLS
HCT	44.9	%	40.0 - 50.0	Hydrodynamic focusing
MCV	85.4	fl	83.0 - 101.0	Calculation
MCH	28.7	pg	27-32	Calculation
MCHC	33.6	g/dL	31.5 - 34.5	Calculation
Platelet Count	279	10 ³ /uL	150 - 400	Hydrodynamic Focusing(DCD)
WBC	9.70	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	57.4	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	33.3	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.6	%	2.0-10.0	Flow Cytometry
Eosinophils	2.4	%	1 - 6	Flow Cytometry
Basophils	0.3	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	5.57	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	3.23 ^H	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.64	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.23	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.03	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 11-08-2023 12:00:00
Authenticated On : 11-08-2023 15:29:22
Printed On : 11-08-2023 23:16:26

Received On : 11-08-2023 14:16:00
Released On : 11-08-2023 15:49:10
Reprinted On : 12-08-2023 11:06:19

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: AFFAN NAWAZ AFSAR ALI	File. No.	: AAL02-335013
DOB/Gender	: 10-02-1999 (24 Yrs 6 Month 2 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232230169	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 11-08-2023 14:00	Clinic File No	: 40671
Insurance	: NAS ADMINISTRATION SERVICES LTD		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 11-08-2023 12:00:00
Authenticated On : 11-08-2023 15:29:22
Printed On : 11-08-2023 23:16:26

Received On : 11-08-2023 14:16:00
Released On : 11-08-2023 15:49:10
Reprinted On : 12-08-2023 11:06:19



Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: AFFAN NAWAZ AFSAR ALI	File. No.	: AAL02-335013
DOB/Gender	: 10-02-1999 (24 Yrs 6 Month 2 Days/Male)	Referral Doctor	: Dr. Sajid Sanaullah Khan
Lab No.	: 22232230169	Referral Clinic	: Peshawar(Irham Medical Center)
Request Date	: 11-08-2023 14:00	Clinic File No	: 40671
Insurance	: NAS ADMINISTRATION SERVICES LTD		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
ALP (serum)	106.0	U/L	50 - 116	Para-nitrophenyl Phosphate
<i>Kindly note that the reference range is effective from 17-01-2023.</i>				
Calcium (serum)	9.2	mg/dL	8.4 - 10.2	Arsenazo III
Phosphorus (serum)	3.6	mg/dL	2.3 - 4.7	Phosphomolybdate

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

H/L Collected On : 11-08-2023 12:00:00
Authenticated On : 11-08-2023 15:30:17
Printed On : 11-08-2023 23:16:26

Received On : 11-08-2023 14:16:00
Released On : 11-08-2023 15:49:10
Reprinted On : 12-08-2023 11:06:19

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673