

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SANGITA BHANDARI File. No. : AAL02-310115

DOB/Gender

: 03-10-1994 (29 Yrs 6 Month 24 Days/Female) Referral Doctor

: Dr. Enomen Goodluck Ekata

: 22241100132

Referral Clinic : Peshawar(Irham Medical Center)

Lab No.

Clinic File No : 39938

Request Date : 19-04-2024 15:32:21 Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Total Iron Binding Capacity (TIBC)	355.80	ug/dL	250.0 - 460.0	Ferrozine- Calculation

In iron deficiency anemia the TIBC is elevated and the transferrin saturation is lowered to 15 % or less. Low serum iron associated with low TIBC is

characteristic of the anemia of chronic disorders, malignant tumors, and infections. Please note Reference Range Reviewed w.ef 15/10/23.

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 19-04-2024 11:00:00

Authenticated On: 19-04-2024 16:10:38 Released On: 19-04-2024 16:34:22

Received On: 19-04-2024 15:46:00

MEDSOL-RPT-2.3(1/19)

Padmapriya Kumareshan

Sr. Technician

DHA/LS2992011/243822

