

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما المام Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : AMMAR WAJID

DOB/Gender : 09-02-1989 (35 Yrs 2 Month 26 Days/Male)

Lab No. : **22241210003**

Request Date : 30-04-2024 06:36

Insurance : **NEXTCARE**

File. No. : **AAL02-390715**

Referral Doctor : **Dr. Enomen Goodluck Ekata**

Referral Clinic : Peshawar(Irham Medical Center)

Clinic File No : 42934

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	2.85	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On : 29-04-2024 12:00:00 Authenticated On : 30-04-2024 11:00:40

Printed On: 30-04-2024 12:01:59

Received On: 30-04-2024 06:36:00 Released On: 30-04-2024 11:02:48

B Lab Incharge DHA/LS/2992011/

241430



Esmeralda Obenita

