

- CRP assays are used to detect systemic inflammatory processes (apart from certain types of inflammation such as systemic lupus erythematosus (SLE) and Colitis ulcerosa); to assess treatment of bacterial infections with antibiotics; to detect intrauterine infections with concomitant premature amniorrhexis; to differentiate between active and inactive forms of disease with concurrent infection, e.g. in patients suffering from SLE or Colitis ulcerosa; to therapeutically monitor rheumatic disease and assess anti-inflammatory therapy; to determine the presence of post-operative complications at an early stage, such as infected wounds, thrombosis and pneumonia, and to distinguish between infection and bone marrow transplant rejection."

DR. ADLEY MARK FERNANDES
M.D (Pathology)
Pathologist

Vyoma V. Shah
DR. VYOMA SHAH
M.D (Pathology)
Clinical Pathologist

Page 1 of 2

Eloisa May Delmo
ELOISA MAY DELMO
Laboratory Technologist

This is an Electronically Authenticated Report.

Printed on: 05-May-2025 05:29 PM

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189 unless specified by (*).



Off.1,Mezzanine Floor,Muzoon Bldg - 294, Al Karama Post Box No. 49527 Dubai UAE info@biosytech.ae



Tel : 971 4 398 8567
www.biosytech.com

	Mr. MOHAMMAD BADIUL ALAM MD FAZLUL HAQ			Reference : Dr. FARHAN	VID : 5050100541
	PID NO :			Sample Collected At :	Registered
	Age : 42 Years Sex : Male			CITICARE MEDICAL CENTER	02-May-2025 09:02
				Unit G03, Al Barsha South Bldg, Al Barhsa South	Collected
				Third, Dubai	30-Apr-2025 08:00
				Reported	03-May-2025 12:09