

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SHYMOL ANISH MOHANAN PONNAMKARIL File. No.

NADAVANAN

. 1 110. 140.

: AAL02-405175

NANATA

DOB/Gender : 05-04-1984 (40 Yrs 3 Month 11 Days/Female) Referral Doctor

Deferral Olivia

: Dr. Enomen Goodluck Ekata

Lab No.

: 22241950001

Referral Clinic

: Citicare Medical Center LLC

Request Date : 13-07-2024 08:41:28

Insurance

: NEXTCARE

Clinic File No : 43550

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	74.30 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 11-07-2024 21:40:00

Authenticated On: 13-07-2024 09:29:15 Released On: 13-07-2024 09:30:58

Wasik Hasa

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673



Received On: 13-07-2024 08:42:00