

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : BYUNGWOON HWANG File. No. : AAL02-407043

DOB/Gender

: 18-01-1990 (34 Yrs 6 Month 9 Days/Male)

: Dr. Enomen Goodluck Ekata

Lab No.

: 22242080003

Referral Doctor Referral Clinic

: Citicare Medical Center LLC

Request Date : 26-07-2024 10:08:29

Clinic File No : 41615

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	19.40 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assav

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 25-07-2024 12:00:00

Authenticated On: 26-07-2024 12:40:25

Received On: 26-07-2024 10:09:00 Released On: 26-07-2024 14:27:27

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

