




BML444239

Laboratory Investigation Report

Name	: Mr. MAURO IGNACIO	Ref No.	:
DOB	: 13/10/1998	Sample No.	: 2407454077
Age / Gender	: 25 Y / Male	Collected	: 26/07/2024 12:00
Referred by	: DR. HUMAIRA MUMTAZ	Registered	: 26/07/2024 16:31
Centre	: CITICARE MEDICAL CENTER	Reported	: 26/07/2024 17:56

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
URIC ACID (SERUM)	6.5		mg/dL	3.4 - 7.0 Please note change. Source: Roche IFU.	Uricase, UV



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist



HARSHAD MANIKANDAN
Laboratory Technician

This is an electronically authenticated report

Page 1 of 2

Printed on: 26/07/2024 17:58

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML444239

Laboratory Investigation Report

Name	: Mr. MAURO IGNACIO	Ref No.	:
DOB	: 13/10/1998	Sample No.	: 2407454077
Age / Gender	: 25 Y / Male	Collected	: 26/07/2024 12:00
Referred by	: DR. HUMAIRA MUMTAZ	Registered	: 26/07/2024 16:31
Centre	: CITICARE MEDICAL CENTER	Reported	: 26/07/2024 17:56

IMMUNOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
RHEUMATOID FACTOR (QUANTITATIVE)	< 11.27		IU/mL	< 14.0 Please note change. Source: Roche IFU.	Immunoturbidimetry

INTERPRETATION NOTES :

Rheumatoid factors (RF) are a heterogeneous group of autoantibodies that are associated with the diagnosis of rheumatoid arthritis (RA), but can also be found in other inflammatory rheumatic and nonrheumatic conditions. This is a presumptive test, confirm with Anti-CCP test if needed. Clinical diagnosis should not be made on the findings of a single test result, but should integrate both clinical and laboratory data.

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

This is an electronically authenticated report

Page 2 of 2


HARSHAD MANIKANDAN
Laboratory Technician
Printed on: 26/07/2024 17:58

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

