

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: MOHAMED SAAD ABDELKAWY MOHAMED Name File. No. : DML02-250467 DOB/Gender : 21-11-1981 (42 Yrs 8 Month 24 Days/Male) Referral Doctor : Dr. Humaira Mumtaz

Lab No. : 22242120004 Referral Clinic : Citicare Medical Center LLC

Request Date : 30-07-2024 09:36:24 Clinic File No

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	27.10 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 29-07-2024 18:52:00 Authenticated On: 30-07-2024 12:50:17

Released On: 30-07-2024 12:57:41

Received On: 30-07-2024 09:37:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

