

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : KILLUR DHANUSH KUMAR NAGESH DOB/Gender

: 04-02-1995 (29 Yrs 6 Month 3 Days/Male)

Lab No. : 22242130017

Insurance

Request Date : 31-07-2024 09:34:12

File. No. : AAL02-407750

Referral Doctor : Dr. Humaira Mumtaz

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 43709

: NATIONAL GENERAL INSURANCE (HEALTHNET)

CLINICAL BIOCHEMISTRY

| Test Name | Result | Units | Ref. Range | Method |
|--------------------------|--------|-------|------------------------|----------------------------|
| C-Reactive Protein (CRP) | 3.48 | mg/L | Negative < or = to 5.0 | Immunoturbidim etric Assay |

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 30-07-2024 08:37:00 Received On: 31-07-2024 09:34:00 Authenticated On: 31-07-2024 10:52:07

Released On: 31-07-2024 12:23:43

Laboratory Technician DHA-P-0039673

Wasik Hasan Tisekar

