

LABORATORY REPORT

Name	: TANIA RAMZAN MUHAMMAD RAMZAN	File. No.	: AAL02-362002
DOB/Gender	: 23-03-1997 (27 Yrs 4 Month 6 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242150130	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 02-08-2024 13:47:47	Clinic File No	: 41050
Insurance	: NEXTCARE		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Straw		Yellow	Light Scatter
Appearance	Slightly-Cloudy		Clear	Light Scatter
Specific Gravity	1.005		1.005 - 1.030	Refractrometry
PH	6.50		4.6 - 8.0	Litmus reaction
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Negative		Negative	Dye Binding
Blood	Negative		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	1 - 2	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	2 - 4	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Few	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine
Bilirubin and Urobilinogen if clinically indicated.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 02-08-2024 11:00:00
Authenticated On : 02-08-2024 15:17:45

Received On : 02-08-2024 13:55:00
Released On : 02-08-2024 15:19:05

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673

LABORATORY REPORT

Name	: TANIA RAMZAN MUHAMMAD RAMZAN	File. No.	: AAL02-362002
DOB/Gender	: 23-03-1997 (27 Yrs 4 Month 6 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242150130	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 02-08-2024 13:47:47	Clinic File No	: 41050
Insurance	: NEXTCARE		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Kindly note that there are chances of false negative result for *Trichomonas vaginalis*, as *Trichomonas vaginalis* viability is temperature and time sensitive.

Kindly note the new methodology is effective from 31-10-2022.

Sample Type : Urine

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 02-08-2024 11:00:00
Authenticated On : 02-08-2024 15:17:45

Received On : 02-08-2024 13:55:00
Released On : 02-08-2024 15:19:05

Wasik

Wasik Hasan Tisekar
Laboratory Technician
DHA-P-0039673