

LABORATORY REPORT

Name	: RACHELLE MAROUN BASSILI	File. No.	: AAL02-406318
DOB/Gender	: 30-10-1990 (33 Yrs 9 Month 8 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242250435	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 12-08-2024 21:56:36	Clinic File No	: 43615
Insurance	: GIG GULF (AXA INSURANCE)		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	4.17	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non-specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 12-08-2024 19:00:00
Authenticated On : 12-08-2024 23:16:03

Received On : 12-08-2024 21:58:00
Released On : 12-08-2024 23:26:19



Esmeralda Obenita
Lab Incharge
DHA-P-2992011

LABORATORY REPORT

Name	: RACHELLE MAROUN BASSILI	File. No.	: AAL02-406318
DOB/Gender	: 30-10-1990 (33 Yrs 9 Month 8 Days/Female)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242250435	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 12-08-2024 21:56:36	Clinic File No	: 43615
Insurance	: GIG GULF (AXA INSURANCE)		

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
TSH (Thyroid Stimulating Hormone)	1.5200	μIU/mL	0.27-4.20 Pregnancy: 1st Trimester: 0.33 - 4.59 2nd Trimester: 0.35 - 4.10 3rd Trimester: 0.21 - 3.15	ECLIA

Conversion Formula: (Concentration in IU/ mL) x (1.0) = mIU/L. The determination of TSH serves as the initial test in thyroid diagnostics. Even very slight changes in the concentrations of the free thyroid hormones bring about much greater opposite changes in the TSH level. Accordingly, TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. Please note Reference Range Reviewed w.ef 15/10/23 .

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 12-08-2024 19:00:00
Authenticated On : 12-08-2024 23:16:03

Received On : 12-08-2024 21:58:00
Released On : 12-08-2024 23:26:19



Esmeralda Obenita
Lab Incharge
DHA-P-2992011