



BML448357

Laboratory Investigation Report

Name	: Mr. BASHAR ELKHATEEB	Ref No.	: 43764
DOB	: 30/07/2000	Sample No.	: 2408458343
Age / Gender	: 24 Y / Male	Collected	: 05/08/2024 11:53
Referred by	: DR HUMAIRA	Registered	: 05/08/2024 12:45
Centre	: CITICARE MEDICAL CENTER	Reported	: 05/08/2024 15:09

IMMUNOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
HEPATITIS B SURFACE ANTIBODY (HBSAB)	76		mIU/mL	Non-Reactive / Not Immune: <10 Reactive / Immune: General population: = or > 10 High Risk Professions: = or > 100	ECLIA

INTERPRETATION NOTES :

Interpretation:

Non – reactive results indicate inability to determine if Anti-HBs is present at levels consistent with recovery or immunity. Repeat testing is recommended in 1 to 3 months.

Reactive result indicates recovery from acute or chronic Hepatitis B virus (HBV) infection or acquired immunity from HBV vaccination.

HEPATITIS B SURFACE ANTIGEN (HBSAG)	0.53		COI	Non-Reactive: <0.9 Borderline: =/>0.9 - <1.0 Reactive: =/>1.0	ECLIA
Note changes in method and reference range. Source: Roche IFU.					

INTERPRETATION NOTES :

A positive HBsAg test result means that the patient is infected with acute or chronic hepatitis B virus or chronic HBV carrier state. A negative result implies the patient is not infected with hepatitis B.

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

BHAVYA THENDANKANDY
Biochemistry Technologist

This is an electronically authenticated report

Page 1 of 1

Printed on: 05/08/2024 15:11

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

