

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : FAISAL MUHAMMAD SADIQ File. No. : AAL02-392459

DOB/Gender : 15-05-1985 (39 Yrs 2 Month 27 Days/Male) Referral Doctor : Dr. Ahsan Hussain

Lab No. : 22242240027 Referral Clinic : Citicare Medical Center LLC

Request Date : 11-08-2024 11:44:53 Clinic File No : 38027

Insurance : NATIONAL GENERAL INSURANCE (HEALTHNET)

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	1.24	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On : 10-08-2024 18:50:00

Authenticated On: 11-08-2024 16:58:19 Released On: 11-08-2024 17:06:16

Received On: 11-08-2024 11:45:00 Released On: 11-08-2024 17:06:16

- Comment

Rhea Suberon

Medical Laboratory
Technician

DHA-P-0123639

