

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : PIYATHIDA SOMBOOT File. No.

: AAL02-352994

DOB/Gender

: 22-03-1988 (36 Yrs 5 Month /Female)

Referral Doctor

: Dr. Humaira Mumtaz

Lab No.

: 22242270007

Referral Clinic

: Citicare Medical Center LLC

Request Date : 14-08-2024 08:58:43

Clinic File No

: 39907

: ALMADALLAH HEALTHCARE MANAGEMENT Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	<0.60	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 12-08-2024 19:00:00 Received On: 14-08-2024 08:58:00

Authenticated On: 14-08-2024 10:47:01

Released On: 14-08-2024 10:48:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

