

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : EYAMAN HABIB HABIB UR REHMAN File. No. DOB/Gender

: 01-04-1990 (34 Yrs 4 Month 20 Days/Female) Referral Doctor

: NAS ADMINISTRATION SERVICES LTD

Lab No. : 22242340001

Insurance

Request Date : 21-08-2024 08:24:07

Referral Clinic

: DML02-103355 : Dr. Humaira Mumtaz

: Citicare Medical Center LLC

Clinic File No : 37639

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	21.60 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 20-08-2024 20:00:00 Received On: 21-08-2024 08:24:00 Authenticated On: 21-08-2024 11:59:58

Released On: 21-08-2024 12:19:35

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

