

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

: RAMA MAIYA RANA GANESH BAHADUR Name File. No. : AAL02-396186 DOB/Gender : 27-08-1984 (40 Yrs 4 Days/Male) Referral Doctor : Dr. Ahsan Hussain

Lab No. : 22242410003 Referral Clinic : Citicare Medical Center LLC

Request Date : 28-08-2024 09:51:00 Clinic File No : 40914

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	12.70 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 26-08-2024 11:00:00

Authenticated On: 28-08-2024 13:30:25 Released On: 28-08-2024 13:50:41

Received On: 28-08-2024 09:52:00

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

