

DOB/Gender

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : JANITA MENEEZES LANCY

: 02-05-1999 (25 Yrs 4 Month 8 Days/Female)

Lab No. : 22242430158

Request Date : 30-08-2024 15:20:11

Insurance : NEXTCARE File. No. : AAL02-412206

Referral Doctor : Dr. Ahsan Hussain

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 43964

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	4.04	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 30-08-2024 07:00:00 Received On: 30-08-2024 15:20:00 Authenticated On: 30-08-2024 16:29:28 Released On: 30-08-2024 16:57:16

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

