

## Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ما Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : KHALID GAFAR HASSAN MOHAMEDTAHIR File. No. : DML02-111796

DOB/Gender : 05-09-1994 (30 Yrs 9 Days/Male) Referral Doctor : Dr. Ahsan Hussain

Lab No. : 22242500177 Referral Clinic : Citicare Medical Center LLC

Request Date: 06-09-2024 14:12:50 Clinic File No: 41556

Insurance: NAS ADMINISTRATION SERVICES LTD

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
*HSV-I, IgM	<10.00	U/mL	Negative < 20 Borderline:> = 20 to < 30 Positive >= 30	ELISA

Seroconversion, producing IgM is indicative of an early primary infection. As the infection progresses the IgM antibodies decline so that they are usually no longer detectable after a few weeks or months. In contrast to primary infections, IgM is rarely detectable during HSV reactivations. Please note Reference Range Reviewed w.ef 10/11/2022.

Test result obtained through technical collaboration with Medsol group of laboratories.

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui** Laboratory Director DHA/LS/248469 Patient Sample Collected On: 06-09-2024 01:55:00

Authenticated On: 07-09-2024 22:07:05 Released On: 07-09-2024 22:24

Received On: 06-09-2024 14:39:00 Released On: 07-09-2024 22:24:18 8

Esmeralda Obenita

Lab Incharge DHA-P-2992011