

LABORATORY REPORT

Name : **JAYCLE CORSIGA TORRES** File. No. : **DML01-1393491**
DOB/Gender : **04-10-1992 (31 Yrs 11 Month 23 Days/Male)** Referral Doctor : **Dr. Ahsan Hussain**
Lab No. : **22242570168** Referral Clinic : **Citicare Medical Center LLC**
Request Date : **13-09-2024 14:45:47** Clinic File No : **41675**
Insurance : **NAS ADMINISTRATION SERVICES LTD**

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Uric Acid	4.88	mg/dL	3.40-7.00	Uricase

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 13-09-2024 01:44:00
Authenticated On : 13-09-2024 15:56:59

Received On : 13-09-2024 14:46:00
Released On : 13-09-2024 16:05:02



Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: JAYCLE CORSIGA TORRES	File. No.	: DML01-1393491
DOB/Gender	: 04-10-1992 (31 Yrs 11 Month 23 Days/Male)	Referral Doctor	: Dr. Ahsan Hussain
Lab No.	: 22242570168	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 13-09-2024 14:45:47	Clinic File No	: 41675
Insurance	: NAS ADMINISTRATION SERVICES LTD		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol	192.00	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: ≥ 240	Enzymatic-Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	218.00 ^H	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: ≥ 500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	39.30 ^L	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	126.00	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: ≥ 190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	26.70	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	4.89 ^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: ≥ 6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 13-09-2024 01:44:00
Authenticated On : 13-09-2024 15:56:59

Received On : 13-09-2024 14:46:00
Released On : 13-09-2024 16:05:02

Pring

Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011