

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

LABORATORY REPORT

Name : YAHYA ABDELLATTIF ELSAYED

ABDELLATTIF

DOB/Gender : 08-11-1993 (30 Yrs 10 Month 19 Days/Male)

: 22242600302 Lab No.

Request Date : 16-09-2024 15:29:40

Insurance : NEXTCARE File. No. : AAL02-415196

Referral Doctor : Dr. Ahsan Hussain

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 44179

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
*HSV-I, IgM	<10.00	U/mL	Negative < 20 Borderline:> = 20 to < 30	ELISA
			Positive $>= 30$	

Seroconversion, producing IgM is indicative of an early primary infection. As the infection progresses the IgM antibodies decline so that they are usually no longer detectable after a few weeks or months. In contrast to primary infections, IgM is rarely detectable during HSV reactivations. Please note Reference Range Reviewed w.ef 10/11/2022.

Test result obtained through technical collaboration with Medsol group of laboratories.

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 16-09-2024 02:50:00

Authenticated On: 17-09-2024 20:17:50

Received On: 16-09-2024 20:06:00

Released On: 17-09-2024 20:28:07

Esmeralda Obenita

Lab Incharge DHA-P-2992011