

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : ROBERT TABAG

: 11-11-1995 (28 Yrs 10 Month 12 Days/Male)

Lab No. : 22242630260

Request Date : 19-09-2024 19:39:54

Insurance : NEURON

DOB/Gender

File. No. : AAL02-415550

Referral Doctor : Dr. Ahsan Hussain

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 44219

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
*HSV-I, IgM	<10.00	U/mL	Negative < 20 Borderline:> = 20 to < 30 Positive >= 30	ELISA )

Seroconversion, producing IgM is indicative of an early primary infection. As the infection progresses the IgM antibodies decline so that they are usually no longer detectable after a few weeks or months. In contrast to primary infections, IgM is rarely detectable during HSV reactivations. Please note Reference Range Reviewed w.ef 10/11/2022.

Test result obtained through technical collaboration with Medsol group of laboratories.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Patient Sample Collected On: 18-09-2024 14:10:00

Authenticated On: 20-09-2024 20:59:00

Received On: 19-09-2024 19:41:00 Released On: 20-09-2024 21:07:02

Esmeralda Obenita

Lab Incharge DHA-P-2992011