

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : AYESHA BABAR BABAR BASHIR File. No. : AAL02-342371

DOB/Gender

: 10-06-1997 (27 Yrs 3 Month 2 Days/Female)

Referral Doctor : Dr. Enomen Goodluck Ekata

Lab No. : 22242620259 Referral Clinic

: Citicare Medical Center LLC

Request Date : 18-09-2024 17:49:19

Clinic File No : 39019

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	5.1	UA/mL	Negative: < 8 Doubtfull: 8 - 12	ELISA
			Positive: > 12	

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 17-09-2024 11:30:00

Authenticated On: 18-09-2024 22:14:53 Released On: 18-09-2024 22:15:06

Received On: 18-09-2024 17:55:00

Esmeralda Obenita

Lab Incharge DHA-P-2992011

