

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : JURI IM File. No. : AAL02-416162

DOB/Gender : 31-05-1997 (27 Yrs 3 Month 22 Days/Female) Referral Doctor : Dr. Humaira Mumtaz Lab No. : 22242660173 Referral Clinic : Citicare Medical Center LLC

Request Date : 22-09-2024 16:01:44 Clinic File No : 44278

: NAS ADMINISTRATION SERVICES LTD Insurance

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
COMPLETE BLOOD COUNT (C	BC) WITH DIFFERENTI	<u>IAL</u>		
RBC	4.75	10^12/L	3.80 - 4.80	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.3	g/dl	12.0 - 15.0	Photometry-SLS
нст	43.6	%	36.0 - 46.0	Hydrodynamic focusing (HF)
MCV	91.8	fl	83.0 - 101.0	Calculation
MCH	30.1	pg	27-32	Calculation
MCHC	32.8	g/dL	31.5 - 34.5	Calculation
Platelet Count	247	10^3/uL	150-400	HF (DCD)
WBC	5.09	10^3/uL	4.00 - 10.00	Flow Cytometry
DIFFERENTIAL COUNT (%)				
Neutrophils	71.1	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	19.4 ^L	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.1	%	2-10	Flow Cytometry
Eosinophils	2.2	%	1 - 6	Flow Cytometry
Basophils	1.2	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
DIFFERENTIAL COUNT (ABSOL	LUTE)			
Neutrophils (Absolute)	3.62	10^3/uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	0.99 ^L	10^3/uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.31	10^3/uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.11	10^3/uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.06	10^3/uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10^3/uL	< 0.66	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui

Laboratory Director DHA/LS/248469

Patient Sample Collected On: 22-09-2024 11:38:00 Received On: 22-09-2024 16:02:00

Authenticated On: 22-09-2024 18:29:25 Released On: 22-09-2024 18:29:59

Rhea Suberon Medical Laboratory Technician DHA-P-0123639





Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : JURI IM File. No. : AAL02-416162

DOB/Gender : 31-05-1997 (27 Yrs 3 Month 22 Days/Female) Referral Doctor

: Dr. Humaira Mumtaz

: 22242660173

Referral Clinic : Citicare Medical Center LLC

Lab No.

Request Date : 22-09-2024 16:01:44

Clinic File No : 44278

Insurance

: NAS ADMINISTRATION SERVICES LTD

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	13.30 ^H	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Patient Sample Collected On: 22-09-2024 11:38:00 Authenticated On: 22-09-2024 18:29:25

Received On: 22-09-2024 16:02:00 Released On: 22-09-2024 18:29:59

Medical Laboratory Technician

DHA-P-0123639

Rhea Suberon



