



BML472527

Laboratory Investigation Report

Name : Ms. ANNA SOPHIA MARIA DU TOIT
DOB : 08/11/1965
Age / Gender : 58 Y / Female
Referred by : DR HUMAIRA
Centre : CITICARE MEDICAL CENTER

Ref No. : 44107
Sample No. : 2410482989
Collected : 01/10/2024 17:00
Registered : 01/10/2024 22:26
Reported : 01/10/2024 23:35

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
GLUCOSE (RANDOM)	79		mg/dL	< 200 Please note change. Source: The American Diabetes Association (ADA)	Hexokinase

Sample Type : Fluoride Plasma

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Vyoma V. Shah
Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Nazar Mohamed Ali
NAZAR MOHAMED ALI
Laboratory Technologist

This is an electronically authenticated report

Page 1 of 2

Printed on: 01/10/2024 23:44

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML472527

Laboratory Investigation Report

Name : Ms. ANNA SOPHIA MARIA DU TOIT
DOB : 08/11/1965
Age / Gender : 58 Y / Female
Referred by : DR HUMAIRA
Centre : CITICARE MEDICAL CENTER

Ref No. : 44107
Sample No. : 2410482989
Collected : 01/10/2024 17:00
Registered : 01/10/2024 22:26
Reported : 01/10/2024 23:42

BIOCHEMISTRY

Test	Result	Flag	Unit	Reference Range	Methodology
GLYCATED HEMOGLOBIN (HbA1C) ^					
HBA1C	5.1		%	Non- diabetic: 4.0 - 5.6 Prediabetes (Increased risk): 5.7 - 6.4 Diabetes: = or > 6.5	Capillary electrophoresis
eAG (estimated Average Glucose)	100		mg/dL	-	Calculation

INTERPRETATION NOTES :

HbA1c Therapeutic goals for glycemic control (ADA)

Adults:

- Goal of therapy: < 7.0 %
- Action suggested: > 8.0 %

Pediatric patients:

- Toddlers and preschoolers: < 8.5 % (but > 7.5 %)
- School age (6-12 years): < 8.0 %
- Adolescents and young adults (13-19 years): < 7.5 %

Sample Type : EDTA Whole Blood

End of Report

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Vyoma V. Shah
Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Christeena Francis
CHRISTEENA FRANCIS
Laboratory Technologist

This is an electronically authenticated report

Page 2 of 2

Printed on: 01/10/2024 23:44

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

