



Mr. KAMAL JOSHI DWARILKA Name

DR HUMAIRA

**DOB** 20/06/1990 Age / Gender 34 Y 3 M / Male

CITICARE MEDICAL CENTER Centre

Ref No. 40639

Sample No. 2410484203

**Collected** 04/10/2024 12:08 Registered : 04/10/2024 22:34

Reported 04/10/2024 23:19

### **BIOCHEMISTRY**

Flag Unit Test Result **Reference Range** Methodology mg/L **C-REACTIVE PROTEIN (CRP)** < 5.0 Particle-enhanced 32.3 CH immunoturbidimetric assay Please note change.

Source: Roche IFU.

#### **INTERPRETATION NOTES:**

Referred by

- 1. CRP measurements are used as aid in diagnosis, monitoring, prognosis, and management of suspected inflammatory disorders and associated diseases, acute infections and tissue injury.
- C-reactive protein is the classic acute phase protein in inflammatory reactions.
- CRP is the most sensitive of the acute phase reactants and its concentration increases rapidly during inflammatory processes. The CRP response frequently precedes clinical symptoms, including fever. After onset of an acute phase response, the serum CRP concentration rises rapidly and extensively. The increase begins within 6 to 12 hours and the peak value is reached within 24 to 48 hours. Levels above 100 mg/L are associated with severe stimuli such as major trauma and severe infection (sepsis).
- CRP response may be less pronounced in patients suffering from liver disease.
- CRP assays are used to detect systemic inflammatory processes (apart from certain types of inflammation such as systemic lupus erythematosus (SLE) and Colitis ulcerosa); to assess treatment of bacterial infections with antibiotics; to detect intrauterine infections with concomitant premature amniorrhexis; to differentiate between active and inactive forms of disease with concurrent infection, e.g. in patients suffering from SLE or Colitis ulcerosa; to therapeutically monitor rheumatic disease and assess anti-inflammatory therapy; to determine the presence of post-operative complications at an early stage, such as infected wounds, thrombosis and pneumonia, and to distinguish between infection and bone marrow transplant rejection.

Serum Sample Type:

End of Report

Dr. Adley Mark Fernandes M.D (Pathology) **Pathologist** 

P.O Box: 49527

Dr. Vyoma V Shah M.D (Pathology) **Clinical Pathologist** 

This is an electronically authenticated report

Gome V. Shah

**NAZAR MOHAMED ALI Laboratory Technologist** Printed on: 05/10/2024 16:57

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE



Page 1 of 5

Tel: +971 4 398 8567



reports@biosytech.ae www.biosytech.com





#### BML473705

40639

2410484203

04/10/2024 12:08

04/10/2024 23:29

: 04/10/2024 22:34

Ref No.

Sample No.

**Collected** 

Reported

Registered

# **Laboratory Investigation Report**

Name : Mr. KAMAL JOSHI DWARILKA

 DOB
 : 20/06/1990

 Age / Gender
 : 34 Y 3 M / Male

 Referred by
 : DR HUMAIRA

Centre : CITICARE MEDICAL CENTER

### **CLINICAL PATHOLOGY**

	C	LIIVICA	AL 1 A 1110	2001	
Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS ( ROUTINE)					
COLOR	Yellow			Pale to Dark Yellow	Photometry
APPEARANCE	Turbid			-	Turbidimetry
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	1.033			1.002 - 1.035	Refractometry
PH	6.0			5 - 9	Litmus paper
GLUCOSE	Negative			Negative	GOD / POD
BLOOD	Negative			Negative	Peroxidase
PROTEIN	Negative			Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	Negative			Negative	Esterase
UROBILINOGEN	Negative			Negative	Diazonium Salt
BILIRUBIN	Negative			Negative	Diazonium Salt
KETONE	Negative			Negative	Legal's test
NITRITE	Negative			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	1-4		/HPF	1 - 4	Automated Microscopy
ERYTHROCYTES	0-2		/HPF	0 - 2	Automated Microscopy
SQUAMOUS EPITHELIAL CELLS	0-1		/HPF	< 20	Automated Microscopy
NON-SQUAMOUS EPITHELIAL CELLS	-		/HPF	Variable	Automated Microscopy
BACTERIA	-		/HPF	Absent	Automated Microscopy
CASTS	-		/HPF	Absent	Automated Microscopy
HYALINE CAST	-		/HPF	Absent	Automated Microscopy
FINE GRANULAR CAST	-		/HPF	Absent	Automated Microscopy
COARSE GRANUALR CAST	-		/HPF	Absent	Automated Microscopy
WAXY CAST	c <u>-</u> 1 1		/HPF	Absent	Automated Microscopy
FATTY CAST	-		/HPF	Absent	Automated Microscopy
RBC CAST	-		/HPF	Absent	Automated Microscopy
WBC CAST	-		/HPF	Absent	Automated Microscopy
BACTERIAL CAST	-		/HPF	Absent	Automated Microscopy
EPITHELIAL CAST	-		/HPF	Absent	Automated Microscopy
CRYSTALS	-		/HPF	Absent	Automated Microscopy

9-6

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

Page 2 of 5

Milasher

MUBASHER ZAHOOR Laboratory Technologist Printed on: 05/10/2024 16:57

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





P.O Box: 49527 Dubai, UAE Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





Name Mr. KAMAL JOSHI DWARILKA

DR HUMAIRA

**DOB** 20/06/1990 Age / Gender 34 Y 3 M / Male

Referred by

Centre CITICARE MEDICAL CENTER Ref No. 40639

Sample No. 2410484203

**Collected** 04/10/2024 12:08 Registered 04/10/2024 22:34

Reported 04/10/2024 23:29

### **CLINICAL PATHOLOGY**

	C1.1110/1217111101001						
Test	Result	Flag	Unit	Reference Range			
CALCIUM OXALATE	-		/HPF	Absent			
CALCIUM CARBONATE	-		/HPF	Absent			
CALCIUM PHOSPHATE	-		/HPF	Absent			
TRIPLE PHOSPHATE	-		/HPF	Absent			
URIC ACID CRYSTAL	-		/HPF	Absent			
AMMONIUM BIURATE	-		/HPF	Absent			
AMORPHOUS URATES	Present		/HPF	Absent			
AMORPHOUS PHOSPHATES	-		/HPF	Absent			
CYSTINE	-		/HPF	Absent			
LEUCINE	<del>-</del>		/HPF	Absent			
TYROSINE	-		/HPF	Absent			
DRUG CRYSTAL	-		/HPF	Absent			
MUCUS THREADS	Present		/HPF	Absent			
BUDDING YEAST CELLS	-		/HPF	Absent			
НҮРНАЕ	-		/HPF	Absent			
OVA	-		/HPF	Absent			
CYST	-		/HPF	Absent			
PARASITE	-		/HPF	Absent			
ARTIFACTS	-		/HPF	Absent			

Methodology **Automated Microscopy Automated Microscopy** 

### **INTERPRETATION NOTES:**

Please note change in method (Roche Cobas U6500).

Note: "-" means Absent

Sample Type: URINE

End of Report

Dr. Adley Mark Fernandes M.D (Pathology)

**Pathologist** 

Dr. Vyoma V Shah M.D (Pathology) **Clinical Pathologist** This is an electronically authenticated report

Page 3 of 5

**MUBASHER ZAHOOR Laboratory Technologist** Printed on: 05/10/2024 16:57

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.









BML473705

Name : Mr. KAMAL JOSHI DWARILKA

 DOB
 : 20/06/1990

 Age / Gender
 : 34 Y 3 M / Male

 Referred by
 : DR HUMAIRA

Centre : CITICARE MEDICAL CENTER

**Ref No.** : 40639

**Sample No.** : 2410484203

**Collected** : 04/10/2024 12:08 **Registered** : 04/10/2024 22:34

**Reported** : 04/10/2024 23:19

### **SEROLOGY**

Test	Result	Flag	Unit	Reference Range	Methodology
WIDAL^					
ТҮРНІ О	Negative (<1:80)			Less than 1:200	Agglutination
ТҮРНІ Н	Negative (<1:80)			Less than 1:100	Agglutination
PARA TYPHI AO	Negative (<1:80)			Less than 1:200	Agglutination
PARA TYPHI AH	Negative (<1:80)			Less than 1:100	Agglutination
PARA TYPHI BO	Negative (<1:80)			Less than 1:200	Agglutination
PARA TYPHI BH	Negative (<1:80)			Less than 1:100	Agglutination

#### **INTERPRETATION NOTES:**

Positive O antigen =/>1:200 indicates an active infection.

Positive H antigen indicates past infection or vaccination.

Rising titer on repeat testing is more significant than in single reading.

Test should be interpreted along with clinical findings.

(Updated: 31 Aug 2023).

Sample Type : Serum

End of Report

Dr. Adley Mark Fernandes M.D (Pathology) Pathologist

This is an electronically authenticated report

P.O Box: 49527

Dr. Vyoma V Shah M.D (Pathology) Clinical Pathologist

Gome V. Shah

Page 4 of 5

Tel: +971 4 398 8567

NAZAR MOHAMED ALI Laboratory Technologist Printed on: 05/10/2024 16:57

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE





reports@biosytech.ae





BML473705

Name : Mr. KAMAL JOSHI DWARILKA

DOB : 20/06/1990 Age / Gender : 34 V 3 M / Male

Age / Gender : 34 Y 3 M / Male Referred by : DR HUMAIRA

Centre : CITICARE MEDICAL CENTER

**Ref No.** : 40639

**Sample No.** : 2410484203

**Collected** : 04/10/2024 12:08

**Registered** : 04/10/2024 22:34 **Reported** : 04/10/2024 23:00

### **HAEMATOLOGY**

Test Result Flag Unit Reference Range Methodology
ERYTHROCYTE SEDIMENTATION RATE (ESR) 4 mm/hr < 15 Automated

< 15 Automated Please note change in

reference range and method.

#### **INTERPRETATION NOTES:**

Increased ESR is seen in inflammation, pregnancy, anemia, autoimmune disorders (such as rheumatoid arthritis and lupus), infections, some kidney diseases and some cancers (such as lymphoma and multiple myeloma).

The ESR is decreased in polycythemia, hyperviscosity, sickle cell anemia, leukemia, low plasma protein (due to liver or kidney disease), congestive heart failure, hypofibrinogenemia and leukocytosis.

Sample Type: EDTA Whole Blood

End of Report



Dr. Adley Mark Fernandes M.D (Pathology) Pathologist

This is an electronically authenticated report

P.O Box: 49527

M.D (Pathology) Clinical Pathologist

Page 5 of 5

Tel: +971 4 398 8567



CHRISTEENA FRANCIS Laboratory Technologist Printed on: 05/10/2024 16:57

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE





reports@biosytech.ae www.biosytech.com