

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



Method

ELISA

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : MOHAMMED FAISAL File. No.

: AAL02-418492

DOB/Gender

: 01-01-2000 (24 Yrs 9 Month 14 Days/Male)

Referral Doctor

: Dr. Humaira Mumtaz

Lab No.

: 22242820089

Referral Clinic

: Citicare Medical Center LLC

Request Date : 08-10-2024 12:05:42

Insurance

***H.pylori Abs - IgG

Clinic File No

: ALMADALLAH HEALTHCARE MANAGEMENT

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name Result 161.3 H Units AU/mL Ref. Range Negative: < 8

Doubtfull: 8 - 12

Positive: > 12

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Patient Sample Collected On: 05-10-2024 19:50:00

Authenticated On: 09-10-2024 12:01:24

Received On: 08-10-2024 12:07:00 Released On: 09-10-2024 12:53:46

Padmapriya Kumareshan

Sr. Technician DHA-P-2992011