

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : CHERYL EBEDO OLVIDO

DOB/Gender : 27-11-1978 (45 Yrs 10 Month 10

Days/Female)

Lab No. : **22242800213**

Request Date : 06-10-2024 15:59:31

Insurance : NAS ADMINISTRATION SERVICES LTD

File. No. : **DML02-357266**

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 44404

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
ANA - Screen (serum)	0.3	Index	Negative: <0.8 Doubtfull: 0.8 - 1.2	ELISA
			Positive: > 1.2	

ANA test screens antibodies against:

Sm (Smith antigen), U1 sn RNP, snRNP/Sm, SS-A, SS-B, ScI-70, CenpB and Jo-1

ANA: Upto 15% of completely healthy people have a positive ANA test. Thus a positive test does not automatically translate into a diagnosis of lupus or any autoimmune antibody or connective tissue disease. Older age, Viral infection as well as certain medication can play a role in positive ANA reading (American college Rheumatology). Trace borderline reactions are to be confirmed by a repeat test after two to four weeks & to be interpreted in the light of clinical & medication history

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 06-10-2024 12:53:00

Authenticated On: 08-10-2024 14:21:08 Released On: 08-10-2024 17:00:

Received On: 06-10-2024 16:05:00 Released On: 08-10-2024 17:00:44

Sr.



Padmapriya Kumareshan Sr. Technician

DHA-P-2992011

