

LABORATORY REPORT

Name	: RONALD BALILA CLEMENTE	File. No.	: AAL02-419049
DOB/Gender	: 02-05-1981 (43 Yrs 5 Month 7 Days/Male)	Referral Doctor	: Dr. Ahsan Hussain
Lab No.	: 22242830169	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 09-10-2024 14:42:08	Clinic File No	: 44450
Insurance	: NAS ADMINISTRATION SERVICES LTD		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	4.93	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.7	g/dl	13.0 - 17.0	Photometry-SLS
HCT	42.9	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	87.0	fl	83.0 - 101.0	Calculation
MCH	29.8	pg	27-32	Calculation
MCHC	34.3	g/dL	31.5 - 34.5	Calculation
Platelet Count	310	10 ³ /uL	150 - 400	HF (DCD)
WBC	7.95	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	52.0	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	32.0	%	20.0 - 40.0	Flow Cytometry
Monocytes	10.0	%	2.0-10.0	Flow Cytometry
Eosinophils	6.0	%	1 - 6	Flow Cytometry
Basophils	0.0	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	4.14	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	2.54	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.79	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.48	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.00 ^L	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Differential count done manually.
Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 09-10-2024 01:20:00
Authenticated On : 09-10-2024 16:20:03

Received On : 09-10-2024 14:46:00
Released On : 09-10-2024 16:26:55

Pring

Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: RONALD BALILA CLEMENTE	File. No.	: AAL02-419049
DOB/Gender	: 02-05-1981 (43 Yrs 5 Month 7 Days/Male)	Referral Doctor	: Dr. Ahsan Hussain
Lab No.	: 22242830169	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 09-10-2024 14:42:08	Clinic File No	: 44450
Insurance	: NAS ADMINISTRATION SERVICES LTD		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 09-10-2024 01:20:00
Authenticated On : 09-10-2024 16:20:03

Received On : 09-10-2024 14:46:00
Released On : 09-10-2024 16:26:55



Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: RONALD BALILA CLEMENTE	File. No.	: AAL02-419049
DOB/Gender	: 02-05-1981 (43 Yrs 5 Month 7 Days/Male)	Referral Doctor	: Dr. Ahsan Hussain
Lab No.	: 22242830169	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 09-10-2024 14:42:08	Clinic File No	: 44450
Insurance	: NAS ADMINISTRATION SERVICES LTD		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Light Yellow		Yellow	Light Scatter
Appearance	Clear		Clear	Light Scatter
Specific Gravity	1.010		1.005 - 1.030	Refractrometry
PH	6.50		4.6 - 8.0	Litmus reaction
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Negative		Negative	Dye Binding
Blood	Trace		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	1 - 2	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Absent	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

Bilirubin and Urobilinogen if clinically indicated.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 09-10-2024 01:20:00
Authenticated On : 09-10-2024 16:17:02

Received On : 09-10-2024 14:46:00
Released On : 09-10-2024 16:26:55

Pring

Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: RONALD BALILA CLEMENTE	File. No.	: AAL02-419049
DOB/Gender	: 02-05-1981 (43 Yrs 5 Month 7 Days/Male)	Referral Doctor	: Dr. Ahsan Hussain
Lab No.	: 22242830169	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 09-10-2024 14:42:08	Clinic File No	: 44450
Insurance	: NAS ADMINISTRATION SERVICES LTD		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Kindly note that there are chances of false negative result for *Trichomonas vaginalis*, as *Trichomonas vaginalis* viability is temperature and time sensitive.

Kindly note the new methodology is effective from 31-10-2022.

Sample Type : Urine

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 09-10-2024 01:20:00
Authenticated On : 09-10-2024 16:17:02

Received On : 09-10-2024 14:46:00
Released On : 09-10-2024 16:26:55

Pring

**Padmapriya
Kumareshan**
Sr. Technician
DHA-P-2992011