

LABORATORY REPORT

Name	: MAJEED ULLAH KHAN	File. No.	: AAL02-414386
DOB/Gender	: 10-05-1990 (34 Yrs 5 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242850162	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 11-10-2024 14:11:50	Clinic File No	: 4415
Insurance	: NAS ADMINISTRATION SERVICES LTD		

HAEMATOLOGY & COAGULATION

Test Name	Result	Units	Ref. Range	Method
<u>COMPLETE BLOOD COUNT (CBC) WITH DIFFERENTIAL</u>				
RBC	5.00	10 ¹² /L	4.50 - 5.50	Hydrodynamic focusing (DC Detection)
Haemoglobin	14.3	g/dl	13.0 - 17.0	Photometry-SLS
HCT	42.2	%	40.0 - 50.0	Hydrodynamic focusing (HF)
MCV	84.4	fl	83.0 - 101.0	Calculation
MCH	28.6	pg	27-32	Calculation
MCHC	33.9	g/dL	31.5 - 34.5	Calculation
Platelet Count	311	10 ³ /uL	150 - 400	HF (DCD)
WBC	9.28	10 ³ /uL	4.00 - 10.00	Flow Cytometry
<u>DIFFERENTIAL COUNT (%)</u>				
Neutrophils	43.0	%	40.0 - 80.0	Flow Cytometry
Lymphocytes	49.0 ^H	%	20.0 - 40.0	Flow Cytometry
Monocytes	6.0	%	2.0-10.0	Flow Cytometry
Eosinophils	2.0	%	1 - 6	Flow Cytometry
Basophils	0.0	%	<1-2	Flow Cytometry
Band Forms	0.0	%	< 6	Flow Cytometry
<u>DIFFERENTIAL COUNT (ABSOLUTE)</u>				
Neutrophils (Absolute)	3.99	10 ³ /uL	2.00 - 7.00	Calculation
Lymphocytes (Absolute)	4.54 ^H	10 ³ /uL	1.00 - 3.00	Calculation
Monocytes (Absolute)	0.56	10 ³ /uL	0.20 - 1.00	Calculation
Eosinophils (Absolute)	0.19	10 ³ /uL	0.02 - 0.50	Calculation
Basophils (Absolute)	0.00 ^L	10 ³ /uL	0.02 - 0.10	Calculation
Band Forms (Absolute)	0.00	10 ³ /uL	< 0.66	Calculation

Remarks:

Differential count done manually
Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 10-10-2024 20:50:00
Authenticated On : 11-10-2024 17:00:13

Received On : 11-10-2024 14:14:00
Released On : 11-10-2024 17:03:51

Pring

Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: MAJEED ULLAH KHAN	File. No.	: AAL02-414386
DOB/Gender	: 10-05-1990 (34 Yrs 5 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242850162	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 11-10-2024 14:11:50	Clinic File No	: 4415
Insurance	: NAS ADMINISTRATION SERVICES LTD		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Sample Type : EDTA WB

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 10-10-2024 20:50:00
Authenticated On : 11-10-2024 17:00:13

Received On : 11-10-2024 14:14:00
Released On : 11-10-2024 17:03:51

Pring

**Padmapriya
Kumareshan**
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: MAJEED ULLAH KHAN	File. No.	: AAL02-414386
DOB/Gender	: 10-05-1990 (34 Yrs 5 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242850162	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 11-10-2024 14:11:50	Clinic File No	: 4415
Insurance	: NAS ADMINISTRATION SERVICES LTD		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	2.39	mg/L	Negative < or = to 5.0	Immunoturbidimetric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 10-10-2024 20:50:00
Authenticated On : 11-10-2024 17:00:15

Received On : 11-10-2024 14:14:00
Released On : 11-10-2024 17:03:51

Pring

Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: MAJEED ULLAH KHAN	File. No.	: AAL02-414386
DOB/Gender	: 10-05-1990 (34 Yrs 5 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242850162	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 11-10-2024 14:11:50	Clinic File No	: 4415
Insurance	: NAS ADMINISTRATION SERVICES LTD		

MICROBIOLOGY/BACTERIOLOGY/BODY FLUIDS

Test Name	Result	Units	Ref. Range	Method
<u>URINE ROUTINE (URINALYSIS)</u>				
<u>PHYSICAL EXAMINATION</u>				
Color	Straw		Yellow	Light Scatter
Appearance	Clear		Clear	Light Scatter
Specific Gravity	1.005		1.005 - 1.030	Refractrometry
PH	5.50		4.6 - 8.0	Litmus reaction
Glucose	Negative		Negative	Enz.Rn/Reflect
Ketone	Negative		Negative	Legal's method
Protein	Negative		Negative	Dye Binding
Blood	Trace		Negative	Peroxidase Activity/Reflectance
Bilirubin	Negative		Negative	Acidified Diazo Coupling
Urobilinogen	Normal	mg/dL	Normal 0.2 - 1.0	Buffered Diazo Coupling
Nitrite	Negative		Negative	Mod. Gries Rn
Leukocytes.	Negative		Negative	Enz.Rn/Reflect
<u>MICROSCOPIC EXAMINATION</u>				
Pus Cells	1 - 2	/HPF	1 - 4	F.D.I/Microscopy
RBC's	0 - 1	/HPF	0 - 2	F.D.I/Microscopy
Epithelial cells	0 - 1	/HPF	1 - 4	F.D.I/Microscopy
Bacteria	Absent	/HPF	Absent	F.D.I/Microscopy
Yeast cells	Absent	/HPF	Absent	F.D.I/Microscopy
Trichomonas Vaginalis	Absent	/HPF	Absent	F.D.I/Microscopy
Mucus Threads	Absent	/HPF	Absent	F.D.I/Microscopy
Crystals	Absent	/HPF	Absent	F.D.I/Microscopy
Casts	Absent	/LPF	Absent	F.D.I/Microscopy

Bilirubin and Urobilinogen when exposed to sunlight leads to artificially low results, hence recommended to collect urine in dark container for analyzing Urine

Bilirubin and Urobilinogen if clinically indicated.

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 10-10-2024 20:50:00
Authenticated On : 11-10-2024 15:56:19

Received On : 11-10-2024 14:14:00
Released On : 11-10-2024 17:03:51

Pring

Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: MAJEED ULLAH KHAN	File. No.	: AAL02-414386
DOB/Gender	: 10-05-1990 (34 Yrs 5 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242850162	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 11-10-2024 14:11:50	Clinic File No	: 4415
Insurance	: NAS ADMINISTRATION SERVICES LTD		

Test Name	Result	Units	Ref. Range	Method
-----------	--------	-------	------------	--------

Kindly note that there are chances of false negative result for *Trichomonas vaginalis*, as *Trichomonas vaginalis* viability is temperature and time sensitive.

Kindly note the new methodology is effective from 31-10-2022.

Sample Type : Urine

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 10-10-2024 20:50:00
Authenticated On : 11-10-2024 15:56:19

Received On : 11-10-2024 14:14:00
Released On : 11-10-2024 17:03:51



Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: MAJEED ULLAH KHAN	File. No.	: AAL02-414386
DOB/Gender	: 10-05-1990 (34 Yrs 5 Month 2 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242850162	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 11-10-2024 14:11:50	Clinic File No	: 4415
Insurance	: NAS ADMINISTRATION SERVICES LTD		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol	208.00	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: >or =240	Enzymatic-Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	593.00^H	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	31.00^L	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	132.00^H	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	45.00^H	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	6.71^H	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Remarks:

Due to high Triglycerides levels, a confirmation test is required with a fresh sample. It is advised to repeat the test after one week combined with abstaining from oily, fatty, dairy food as well as nuts. Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 10-10-2024 20:50:00
Authenticated On : 11-10-2024 17:00:15

Received On : 11-10-2024 14:14:00
Released On : 11-10-2024 17:03:51

Pring

Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011