

# Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

### LABORATORY REPORT

Name : MARK JOSEPH CALEON

H CALEON File. No. : DML01-1317966

DOB/Gender : 04-05-1986 (38 Yrs 5 Month 7 Days/Male)

Referral Doctor : **Dr. Enomen Goodluck Ekata**Referral Clinic : **Citicare Medical Center LLC** 

Lab No. : **22242850147** 

Clinic File No : 44472

Request Date : 11-10-2024 13:49:07

Insurance

: GIG GULF (AXA INSURANCE)

#### **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	<0.60	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assav

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Troponin T (Quantitative)

< 0.0030

mL < 0.014 : Healthy Individuals

FCLIA

Risk Stratification in Asymptomatic Individuals <0.005 : Low Risk

>=0.005 to <=0.010 : Moderate

>0.010 : High

Conversion Formula: (Concentration in pg/mL) x (0.001) = ng/mL. Values should be correlated with the clinical findings and ECG picture along with CKMB (Mass)and Myoglobin levels, before ruling out AMI. A sequential follow-up of Troponin T levels is recommended 1 hours post onset of symptoms / post admission for suspected AMI cases. Diagnostic criteria for AMI is defined as > 0.014 ng/ml. Please note Reference Range Reviewed w.ef 15/10/23 Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (\*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

**Dr. Solmaz Siddiqui** Laboratory Director DHA/LS/248469 Patient Sample Collected On: 10-10-2024 21:20:00

Authenticated On: 11-10-2024 14:39:50 Released On: 11-10-2024 14:4

Received On: 11-10-2024 13:49:00 Released On: 11-10-2024 14:40:24 Ping

Padmapriya Kumareshan

Sr. Technician DHA-P-2992011





DOB/Gender

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

#### LABORATORY REPORT

Name : MARK JOSEPH CALEON

: 04-05-1986 (38 Yrs 5 Month 7 Days/Male)

Lab No. : 22242850147

Request Date : 11-10-2024 13:49:07

: GIG GULF (AXA INSURANCE) Insurance

File. No. : DML01-1317966

Referral Doctor : Dr. Enomen Goodluck Ekata Referral Clinic : Citicare Medical Center LLC

Clinic File No : 44472

LIPID PROFILE I

		RIC	CHE	MICT	ΓDV
CLIN	IICAL	. DIC	/CIILI		101

CLINICAL BIOCHEMISTRY							
Test Name	Result	Units	Ref. Range	Method			
Cholesterol	185.00	mg/dL	Desirable: < 200 Borderline:200 -239 High: >or =240	Enzymatic- Cholesterol esterase			
Please note Reference Range Revi	iewed w.ef 15/10/23						
Triglycerides	63.20	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO			
Please note Reference Range Revi	iewed w.ef 15/10/23						
HDL Cholesterol	61.50	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD			
Please note Reference Range Revi	lewed w.ef 15/10/23						
LDL Cholesterol	118.00	mg/dL	Optimal: < 100 Near or above optimal:100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant			
Please note Reference Range Revi	lewed w.ef 15/10/23						
*VLDL	5.50	mg/dL	5.0 - 30.0	Calculation			
*Cholesterol / HDL	3.01	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation			
Sample Type : Serum							

Sample Type : Serum

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 10-10-2024 21:20:00

Released On: 11-10-2024 14:40:24 Authenticated On: 11-10-2024 14:39:50

Received On: 11-10-2024 13:49:00

**Padmapriya** Kumareshan

Sr. Technician DHA-P-2992011

