

BML476501

Laboratory Investigation Report

Name : Mr. JEET BAHADUR KHATRI
DOB : 02/08/1980
Age / Gender : 44 Y / Male
Referred by : DR ENOMEN
Centre : CITICARE MEDICAL CENTER

Ref No. : 42439
Sample No. : 2410487054
Collected : 12/10/2024 02:00
Registered : 12/10/2024 15:06
Reported : 12/10/2024 16:29

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					
HEMOGLOBIN	14.9		g/dL	13.5 - 17.5	Photometric
RBC COUNT	4.6		10 ⁶ /μL	4.3 - 5.7	Electrical Impedance
HEMATOCRIT	43.6		%	38 - 50	Calculation
MCV	94.3		fL	82 - 98	Calculation
MCH	32.1	H	pg	27 - 32	Calculation
MCHC	34.1		g/dL	32 - 37	Calculation
RDW	13.4		%	11.8 - 15.6	Calculation
RDW-SD	43.3		fL		Calculation
MPV	9.2		fL	7.6 - 10.8	Calculation
PLATELET COUNT	236		10 ³ /uL	150 - 450	Electrical Impedance
PCT	0.2		%	0.01 - 9.99	Calculation
PDW	16.8		Not Applicable	0.1 - 99.9	Calculation
NUCLEATED RBC (NRBC) [^]	0.1		/100 WBC		VCS 360 Technology
ABSOLUTE NRBC COUNT [^]	0.01		10 ³ /uL		Calculation
EARLY GRANULOCYTE COUNT (EGC) [^]	0.6		%		VCS 360 Technology
ABSOLUTE EGC [^]	0.1		10 ³ /uL		Calculation
WBC COUNT	8.8		10 ³ /μL	4 - 11	Electrical Impedance
DIFFERENTIAL COUNT (DC)					
NEUTROPHILS	65		%	40 - 75	VCS 360 Technology
LYMPHOCYTES	28		%	20 - 45	VCS 360 Technology
EOSINOPHILS	1		%	0 - 6	VCS 360 Technology
MONOCYTES	6		%	1 - 6	VCS 360 Technology
BASOPHILS	0		%	0 - 1	VCS 360 Technology
ABSOLUTE COUNT					
ABSOLUTE NEUTROPHIL COUNT	5.7		10 ³ /uL	1.6 - 8.25	Calculation
ABSOLUTE LYMPHOCYTE COUNT	2.2		10 ³ /uL	0.8 - 4.95	Calculation
ABSOLUTE MONOCYTE COUNT	0.4		10 ³ /uL	0.04 - 0.66	Calculation
ABSOLUTE EOSINOPHIL COUNT	0.1		10 ³ /uL	0 - 0.66	Calculation
ABSOLUTE BASOPHIL COUNT	0.0		10 ³ /uL	0 - 0.11	Calculation

Vyoma V. Shah

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Mubasher

MUBASHER ZAHOOR
Laboratory Technologist


This is an electronically authenticated report

Page 1 of 3

Printed on: 12/10/2024 17:34

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML476501

Laboratory Investigation Report

Name : Mr. JEET BAHADUR KHATRI
DOB : 02/08/1980
Age / Gender : 44 Y / Male
Referred by : DR ENOMEN
Centre : CITICARE MEDICAL CENTER

Ref No. : 42439
Sample No. : 2410487054
Collected : 12/10/2024 02:00
Registered : 12/10/2024 15:06
Reported : 12/10/2024 16:29

HEMATOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
COMPLETE BLOOD COUNT (CBC)					

INTERPRETATION NOTES :

Please note update on CBC report format, reference ranges and method(Beckman Coulter).

Sample Type : EDTA Whole Blood

End of Report

Vyoma V. Shah

Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Mubasher

MUBASHER ZAHOOR
Laboratory Technologist


This is an electronically authenticated report

Page 2 of 3

Printed on: 12/10/2024 17:34

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML476501

Laboratory Investigation Report

Name : Mr. JEET BAHADUR KHATRI
DOB : 02/08/1980
Age / Gender : 44 Y / Male
Referred by : DR ENOMEN
Centre : CITICARE MEDICAL CENTER

Ref No. : 42439
Sample No. : 2410487054
Collected : 12/10/2024 02:00
Registered : 12/10/2024 15:06
Reported : 12/10/2024 17:32


SEROLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
HELICOBACTER PYLORI ANTIBODY	Positive			Negative	Immunochromatography

Comments : Please correlate clinically.

Sample Type : Serum

End of Report



Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

This is an electronically authenticated report

Vyoma V. Shah
Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist

Page 3 of 3

MOHAMMED RASHID CHENANGADATH
Laboratory Technologist

Printed on: 12/10/2024 17:34

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

