

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : JENITHA PALIN MANRO DHANAPAL DOB/Gender : 28-09-1997 (27 Yrs 10 Days/Female)

Lab No. : 22242890050

Request Date : 15-10-2024 10:44:08

Insurance : NEXTCARE File. No. : AAL02-388563

Referral Doctor : Dr. Ahsan Hussain

: Citicare Medical Center LLC

Clinic File No : 42924

Referral Clinic

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
ANA - Screen (serum)	0.2	Index	Negative: <0.8 Doubtfull: 0.8 - 1.2	ELISA
			Positive: > 1.2	

ANA test screens antibodies against:

Sm (Smith antigen), U1 sn RNP, snRNP/Sm, SS-A, SS-B, ScI-70, CenpB and Jo-1

ANA :Upto 15% of completely healthy people have a positive ANA test. Thus a positive test does not automatically translate into a diagnosis of lupus or any autoimmune antibody or connective tissue disease .Older age ,Viral infection as well as certain medication can play a role in positive ANA reading (American college Rheumatology). Trace borderline reactions are to be confirmed by a repeat test after two to four weeks & to be interpreted in the light of clinical & medication history

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 14-10-2024 11:05:00 Received On: 15-10-2024 10:53:00

Authenticated On: 15-10-2024 16:49:51 Released On: 15-10-2024 16:54:41

**Padmapriya** Kumareshan

Sr. Technician DHA-P-2992011

