

LABORATORY REPORT

Name	: RUEL ALVA	File. No.	: DML02-938609
DOB/Gender	: 13-06-1981 (43 Yrs 4 Month 27 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242930182	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 19-10-2024 15:01:51	Clinic File No	: 44198
Insurance	: NEURON		

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
Glucose (Fasting)	98.70	mg/dL	70 - 100	HK/G-6-PDH

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Fluoride Plasma

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 18-10-2024 22:40:00
Authenticated On : 19-10-2024 15:46:56

Received On : 19-10-2024 15:03:00
Released On : 19-10-2024 16:11:35



Padmapriya Kumareshan
Sr. Technician
DHA-P-2992011

LABORATORY REPORT

Name	: RUEL ALVA	File. No.	: DML02-938609
DOB/Gender	: 13-06-1981 (43 Yrs 4 Month 27 Days/Male)	Referral Doctor	: Dr. Enomen Goodluck Ekata
Lab No.	: 22242930182	Referral Clinic	: Citicare Medical Center LLC
Request Date	: 19-10-2024 15:01:51	Clinic File No	: 44198
Insurance	: NEURON		

**LIPID PROFILE I
CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
Cholesterol	169.00	mg/dL	Desirable: < 200 Borderline: 200 - 239 High: ≥ 240	Enzymatic-Cholesterol esterase
Please note Reference Range Reviewed w.ef 15/10/23				
Triglycerides	149.00	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: ≥ 500	Enzymatic GPO
Please note Reference Range Reviewed w.ef 15/10/23				
HDL Cholesterol	40.40	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Reviewed w.ef 15/10/23				
LDL Cholesterol	103.00	mg/dL	Optimal: < 100 Near or above optimal: 100-129 Borderline High: 130 - 159 High: 160-189 Very High: ≥ 190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Reviewed w.ef 15/10/23				
*VLDL	25.60	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	4.18	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: ≥ 6	Calculation

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)

Sample processed on the same day of receipt unless specified otherwise.

Test results pertain only to the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui
Laboratory Director
DHA/LS/248469

Patient Sample Collected On : 18-10-2024 22:40:00
Authenticated On : 19-10-2024 15:46:56

Received On : 19-10-2024 15:03:00
Released On : 19-10-2024 16:11:35

Pring

Padmapriya Kumaresan
Sr. Technician
DHA-P-2992011