

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : THAER MOHAMAD DHIMCH

DOB/Gender : 20-07-1979 (45 Yrs 3 Month 34 Days/Male)

Lab No. : 22242940153

Request Date : 20-10-2024 14:21:54

Insurance : NEXTCARE File. No. : DML02-703847

Referral Doctor : Dr. Ahsan Hussain

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 44589

CLINICAL BIOCHEMISTRY

Test Name Result Units Ref. Range Method **C-Reactive Protein (CRP)** 3.00 Negative < or = to 5.0 mg/L Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23 **Uric Acid** 3.40-7.00 Uricase

Please note Reference Range Reviewed w.ef 15/10/23

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 19-10-2024 21:20:00 Received On: 20-10-2024 14:34:00

Authenticated On: 20-10-2024 16:07:47 Released On: 20-10-2024 16:17:15

Laboratory Technician DHA-P-0039673



