

DOB/Gender

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : **AMNEH YOUSEF**

: 01-01-1996 (28 Yrs 10 Month 23

Days/Female)

Lab No. : **22242970190**

Request Date : 23-10-2024 14:39:23

Insurance: NAS ADMINISTRATION SERVICES LTD

File. No. : **AAL02-381070**

Referral Doctor : Dr. Enomen Goodluck Ekata

Referral Clinic : Citicare Medical Center LLC

Clinic File No : 42694

HORMONES/ENDOCRINE/TUMOR MARKERS

Test Name	Result	Units	Ref. Range	Method
Free T4(Thyroxine- Free)	1.32	ng/dL	0.92 - 1.68 Pregnancy: 1st Trimester: 0.9 - 1.5 2nd Trimester: 0.8 - 1.3 3rd Trimester: 0.7 - 1.2	ECLIA

Conversion Formula: (Concentration in ng/dL) x (12.87) = pmol/L.Free T4 values may provide the best indication of thyroid dysfunction, since free T4 is less sensitive to changes in the serum binding proteins.Free T4 levels are elevated to a greater degree than free T3 in toxic multinodular goiter and excessive T4 therapy.Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On : 22-10-2024 23:20:00
Authoriticated On : 23-10-2024 16:21:48

Authenticated On: 23-10-2024 16:21:48 Released On: 23-10-2024 16:25:

Received On: 23-10-2024 14:40:00 Released On: 23-10-2024 16:25:19

Kumareshan Sr. Technician DHA-P-2992011

Padmapriya

