

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : SANDOW DINA DE VILLA File. No. : DML01-54272 DOB/Gender : 05-08-1984 (40 Yrs 2 Month 19 Days/Female) Referral Doctor : Dr. Ahsan Hussain

Lab No. : 22242970259 Referral Clinic : Citicare Medical Center LLC

Request Date : 23-10-2024 17:40:55 Clinic File No : 44239

: GIG GULF (AXA INSURANCE) Insurance

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
HSV-I, IgG	77.200 ^H	COI	Non-Reactive : < 0.6 Gray-zone: 0.6 - 0.99	ECLIA
			Reactive: = or >1.0	

Kindly note reference range reviewed w.e.f from 15.10.23.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 23-10-2024 12:53:00 Received On: 23-10-2024 17:41:00

Released On: 24-10-2024 14:05:21 Authenticated On: 24-10-2024 12:40:13

Padmapriya Kumareshan Sr. Technician

DHA-P-2992011

