

DOB/Gender

Al Abbar Laboratories for Research and مختبرات العبارللأبحاث و التحاليل الطبية Medical Analysis



إدارة دبي للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ ا ١٥١٨٩ Dubai Accreditation Department for ISO المارة دبي الإعتماد طبقا لمواصفات الأيزو

LABORATORY REPORT

Name : ARHAM MEHMOOD KHAN

: 11-04-1992 (32 Yrs 6 Month 20 Days/Male)

Lab No. : **22243050210**

Request Date : 31-10-2024 15:58:31

Insurance : **NEXTCARE**

File. No. : AAL02-423191

Referral Doctor : **Dr. Enomen Goodluck Ekata**Referral Clinic : **Citicare Medical Center LLC**

Clinic File No : 40609

CLINICAL BIOCHEMISTRY

Test Name	Result	Units	Ref. Range	Method
C-Reactive Protein (CRP)	3.16	mg/L	Negative < or = to 5.0	Immunoturbidim etric Assay

CRP is an acute phase protein whose concentration rises non -specifically in response to inflammation. CRP values should not be interpreted without a complete clinical evaluation. Follow-up testing of patients with elevated values is recommended in order to help rule out a recent response to undetected infection or tissue injury. Please note Reference Range Reviewed w.ef 15/10/23

Sample Type : Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*)
Sample processed on the same day of receipt unless specified otherwise.

Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469 Patient Sample Collected On: 27-10-2024 02:00:00

Authenticated On: 31-10-2024 17:39:49 Released On: 31-10-2024

Received On: 31-10-2024 15:58:00 Released On: 31-10-2024 17:55:12 Sim-

Esmeralda Obenita Lab Incharge

DHA-P-2992011

