

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبن للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ Dubai Accreditation Department for ISO 15189 المارة دبن للإعتماد طبقا لمواصفات الأيزو

## LABORATORY REPORT

: MAHMOUD HASSAN ABDALLA MOHAMED Name File. No. : AAL02-423795 DOB/Gender : 11-03-1978 (46 Yrs 7 Month 24 Days/Male) Referral Doctor : Dr. Ahsan Hussain

: Citicare Medical Center LLC Lab No. : 22243090203 Referral Clinic

Request Date : 04-11-2024 14:52:46 Clinic File No

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

## LIPID PROFILE I

## CLINICAL BIOCHEMISTRY

CLINICAL BIOCHEMISTRY				
Test Name	Result	Units	Ref. Range	Method
Cholesterol	230.00	mg/dL	Desirable: < 200 Borderline:200 -239 High: >or =240	Enzymatic- Cholesterol esterase
Please note Reference Range Rev	iewed w.ef 15/10/23			
Triglycerides	200.00 <sup>H</sup>	mg/dL	NCEP Adult Treatment Panel Normal: <150 Borderline: 150 - 199 High: 200-499 Very High: >or =500	Enzymatic GPO
Please note Reference Range Rev	iewed w.ef 15/10/23			
HDL Cholesterol	59.10	mg/dL	Major Risk: < 40	Homogeneous enzymatic-CHER & CHOD
Please note Reference Range Rev	iewed w.ef 15/10/23			
LDL Cholesterol	154.00 <sup>H</sup>	mg/dL	Optimal: < 100 Near or above optimal:100-129 Borderline High: 130 - 159 High: 160-189 Very High: >or=190	Homo. Enz, Liq. Selective Surfactant
Please note Reference Range Rev	iewed w.ef 15/10/23			
*VLDL	16.90	mg/dL	5.0 - 30.0	Calculation
*Cholesterol / HDL	3.89	Ratio	Desirable: < 4.5 Borderline: 4.5 - 6 Undesirable: >6	Calculation

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

--- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history.

Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 04-11-2024 14:22:00 Authenticated On: 04-11-2024 15:38:13

Received On: 04-11-2024 14:53:00 Released On: 04-11-2024 16:42:28

**Padmapriya** Kumareshan

Sr. Technician DHA-P-2992011

