

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : HAMID MAHMOOD File. No. : AAL02-374416 DOB/Gender : 15-12-1990 (33 Yrs 10 Month 19 Days/Male) Referral Doctor : Dr. Ahsan Hussain

Lab No. : 22243080174 Referral Clinic : Citicare Medical Center LLC

Request Date : 03-11-2024 14:38:26 Clinic File No : 42388

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

## **CLINICAL BIOCHEMISTRY**

Test Name	Result	Units	Ref. Range	Method
HbA1c (Glycosylated Hb)	10.30 <sup>H</sup>	%	Normal: =< 5.6 High risk/prediabetes: 5.7-6.4	TINIA(turbidimetr
			Diabetes: =>6.5	immunoassay)

In the absence of unequivocal hyperglycemia, result should be confirmed by repeat testing. Diabetic patients with HbA1c less than 7% meets the therapeutic

goals of the American Diabetes Association (ADA 2010). Please note Reference Range Reviewed w.ef 15/10/23. Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: EDTA WB

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 02-11-2024 20:50:00 Received On: 03-11-2024 14:46:00 Authenticated On: 03-11-2024 16:21:42

Released On: 03-11-2024 16:21:56

Wasik Hasan Tisekar Laboratory Technician DHA-P-0039673

