

Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



ELISA

إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

LABORATORY REPORT

Name : RAHUL MAHMUD SABBIR File. No.

: AAL02-418193

DOB/Gender

: 04-08-2002 (22 Yrs 3 Month /Male)

Referral Doctor

: Dr. Humaira Mumtaz

Lab No.

: 22243090165

Referral Clinic

: Citicare Medical Center LLC

H.pylori Abs - IgG

Request Date : 04-11-2024 13:32:43

Clinic File No

: 44391

: NATIONAL GENERAL INSURANCE (HEALTHNET) Insurance

IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

AU/mL

Test Name Result Units Ref. Range Method 18.0 H

Negative: < 8 Doubtfull: 8 - 12

Positive: > 12

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Remarks:

Test result to be interpreted in the light of clinical history and to be investigated further if necessary.

Sample Type: Serum

----- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director DHA/LS/248469

Patient Sample Collected On: 04-11-2024 11:50:00

Authenticated On: 04-11-2024 16:45:59

Received On: 04-11-2024 13:43:00 Released On: 04-11-2024 18:08:54

Padmapriya Kumareshan Sr. Technician

DHA-P-2992011

