

## Al Abbar Laboratories for Research and Medical Analysis مختبرات العبارللأبحاث و التحاليل الطبية



إدارة دبى للإعتماد طبقا لمواصفات الأيزو ١٥١٨٩ - Dubai Accreditation Department for ISO 15189

## LABORATORY REPORT

Name : ABDELRAHMAN ADEL ABDELRAHMAN SAYED AHMED ELBARAMAWY

File. No.

: AAL02-390000

DOB/Gender : 01-01-1984 (40 Yrs 10 Month 10 Days/Male)

: Dr. Humaira Mumtaz

Lab No.

Referral Doctor Referral Clinic

: Citicare Medical Center LLC

: 22243090198

Request Date : 04-11-2024 14:17:58

Clinic File No

: 31602

Insurance

: NATIONAL GENERAL INSURANCE (HEALTHNET)

## IMMUNOLOGY/SEROLOGY/INFECTIOUS DISEASES

Test Name	Result	Units	Ref. Range	Method
H.pylori Abs - IgG	6.3	AU/mL	Negative: < 8 Doubtfull: 8 - 12	ELISA
			Positive: > 12	

A positive test result confirms the presence of specific antibodies.

A negative result indicates that no clinically relevant antibodies against the pathogen are present in the patient's sample, but does not exclude the possibility of an acute infection.

In case of a borderline result a reliable evaluation is not possible.

A definitive diagnosis can only be achieved by testing paired serum samples, taken at one to two weeks intervals, in parallel.

Sample Type: Serum

--- End Of Report -----

These tests are accredited under ISO 15189:2012 unless specified by (\*) Sample processed on the same day of receipt unless specified otherwise. Test results pertains only the sample tested and to be correlated with clinical history. Reference range related to Age/Gender.

Dr. Solmaz Siddiqui Laboratory Director

DHA/LS/248469

Patient Sample Collected On: 04-11-2024 11:50:00

Authenticated On: 04-11-2024 16:46:13

Received On: 04-11-2024 14:30:00 Released On: 04-11-2024 18:08:54

**Padmapriya** Kumareshan Sr. Technician

DHA-P-2992011

