

BML488143

Laboratory Investigation Report

Name : Ms. SANIA SHAKEEL
DOB : 01/11/1997
Age / Gender : 27 Y / Female
Referred by : DR ENOMEN
Centre : CITICARE MEDICAL CENTER

Ref No. : 44875
Sample No. : 2411498939
Collected : 12/11/2024 11:00
Registered : 12/11/2024 17:02
Reported : 12/11/2024 17:42

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
URINE ANALYSIS (ROUTINE)					
COLOR	Yellow			Pale to Dark Yellow	Photometry
APPEARANCE	Clear			-	Turbidimetry
CHEMISTRY EXAMINATION					
SPECIFIC GRAVITY	1.014			1.002 - 1.035	Refractometry
PH	6.5			5 - 9	Litmus paper
GLUCOSE	+++			Negative	GOD / POD
BLOOD	Negative			Negative	Peroxidase
PROTEIN	Negative			Negative	Protein error of pH indicator
LEUKOCYTE ESTERASE	Negative			Negative	Esterase
UROBILINOGEN	Negative			Negative	Diazonium Salt
BILIRUBIN	Negative			Negative	Diazonium Salt
KETONE	Negative			Negative	Legal's test
NITRITE	Negative			Negative	Griess test
MICROSCOPIC EXAMINATION					
LEUCOCYTES	1-4		/HPF	1 - 4	Automated Microscopy
ERYTHROCYTES	0-2		/HPF	0 - 2	Automated Microscopy
SQUAMOUS EPITHELIAL CELLS	0-1		/HPF	< 20	Automated Microscopy
NON-SQUAMOUS EPITHELIAL CELLS	-		/HPF	Variable	Automated Microscopy
BACTERIA	-		/HPF	Absent	Automated Microscopy
CASTS	-		/HPF	Absent	Automated Microscopy
HYALINE CAST	-		/HPF	Absent	Automated Microscopy
FINE GRANULAR CAST	-		/HPF	Absent	Automated Microscopy
COARSE GRANULAR CAST	-		/HPF	Absent	Automated Microscopy
WAXY CAST	-		/HPF	Absent	Automated Microscopy
FATTY CAST	-		/HPF	Absent	Automated Microscopy
RBC CAST	-		/HPF	Absent	Automated Microscopy
WBC CAST	-		/HPF	Absent	Automated Microscopy
BACTERIAL CAST	-		/HPF	Absent	Automated Microscopy
EPITHELIAL CAST	-		/HPF	Absent	Automated Microscopy
CRYSTALS	-		/HPF	Absent	Automated Microscopy


Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist


NAZAR MOHAMED ALI
Laboratory Technologist


This is an electronically authenticated report

Page 1 of 2

Printed on: 12/11/2024 17:44

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





BML488143

Laboratory Investigation Report

Name : Ms. SANIA SHAKEEL
DOB : 01/11/1997
Age / Gender : 27 Y / Female
Referred by : DR ENOMEN
Centre : CITICARE MEDICAL CENTER

Ref No. : 44875
Sample No. : 2411498939
Collected : 12/11/2024 11:00
Registered : 12/11/2024 17:02
Reported : 12/11/2024 17:42

CLINICAL PATHOLOGY

Test	Result	Flag	Unit	Reference Range	Methodology
CALCIUM OXALATE	-		/HPF	Absent	Automated Microscopy
CALCIUM CARBONATE	-		/HPF	Absent	Automated Microscopy
CALCIUM PHOSPHATE	-		/HPF	Absent	Automated Microscopy
TRIPLE PHOSPHATE	-		/HPF	Absent	Automated Microscopy
URIC ACID CRYSTAL	-		/HPF	Absent	Automated Microscopy
AMMONIUM BIURATE	-		/HPF	Absent	Automated Microscopy
AMORPHOUS URATES	-		/HPF	Absent	Automated Microscopy
AMORPHOUS PHOSPHATES	-		/HPF	Absent	Automated Microscopy
CYSTINE	-		/HPF	Absent	Automated Microscopy
LEUCINE	-		/HPF	Absent	Automated Microscopy
TYROSINE	-		/HPF	Absent	Automated Microscopy
DRUG CRYSTAL	-		/HPF	Absent	Automated Microscopy
MUCUS THREADS	-		/HPF	Absent	Automated Microscopy
BUDDING YEAST CELLS	-		/HPF	Absent	Automated Microscopy
HYPHAE	-		/HPF	Absent	Automated Microscopy
OVA	-		/HPF	Absent	Automated Microscopy
CYST	-		/HPF	Absent	Automated Microscopy
PARASITE	-		/HPF	Absent	Automated Microscopy
ARTIFACTS	-		/HPF	Absent	Automated Microscopy

Comments : Please correlate clinically

INTERPRETATION NOTES :

Please note change in method (Roche Cobas U6500).

Note: "-" means Absent

Sample Type : URINE

End of Report


Dr. Adley Mark Fernandes
M.D (Pathology)
Pathologist

Dr. Vyoma V Shah
M.D (Pathology)
Clinical Pathologist


NAZAR MOHAMED ALI
Laboratory Technologist

This is an electronically authenticated report

Page 2 of 2

Printed on: 12/11/2024 17:44

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

