



BML490925

40038

2411501792

18/11/2024 23:31

19/11/2024 16:49

: 19/11/2024 16:24

Ref No.

Sample No.

Collected

Reported

Registered

Laboratory Investigation Report

Name : Ms. HAGAR NAGI ANWAR ABDELLATTIF HELMY

 DOB
 : 01/08/1989

 Age / Gender
 : 35 Y / Female

 Referred by
 : DR ENOMEN

Centre : CITICARE MEDICAL CENTER

CLINICAL PATHOLOGY									
Test	Result	Flag	Unit	Reference Range	Methodology				
URINE ANALYSIS (ROUTINE)									
COLOR	Yellow			Pale to Dark Yellow	Photometry				
APPEARANCE	Clear			-	Turbidimetry				
CHEMISTRY EXAMINATION SPECIFIC GRAVITY	1.017			1.002 - 1.035	Refractometry				
PH	7.0			5 - 9	Litmus paper				
GLUCOSE	Negative			Negative	GOD / POD				
BLOOD	Negative			Negative	Peroxidase				
PROTEIN	Negative			Negative	Protein error of pH indicator				
LEUKOCYTE ESTERASE	+			Negative	Esterase				
UROBILINOGEN	Negative			Negative	Diazonium Salt				
BILIRUBIN	Negative			Negative	Diazonium Salt				
KETONE	Negative			Negative	Legal`s test				
NITRITE	Negative			Negative	Griess test				
MICROSCOPIC EXAMINATION	J								
LEUCOCYTES	4 - 6	Н	/HPF	1 - 4	Manual				
ERYTHROCYTES	0 - 1		/HPF	0 - 2	Manual				
SQUAMOUS EPITHELIAL CELLS	3 - 5		/HPF	< 20	Manual				
NON-SQUAMOUS EPITHELIAL CELLS	-		/HPF	Variable	Manual				
BACTERIA	-		/HPF	Absent	Manual				
CASTS	-		/HPF	Absent	Manual				
HYALINE CAST	-		/HPF	Absent	Manual				
FINE GRANULAR CAST	-		/HPF	Absent	Manual				
COARSE GRANUALR CAST	_		/HPF	Absent	Manual				
WAXY CAST	_		/HPF	Absent	Manual				
FATTY CAST	-		/HPF	Absent	Manual				
RBC CAST	-		/HPF	Absent	Manual				
WBC CAST	-		/HPF	Absent	Manual				
BACTERIAL CAST	-		/HPF	Absent	Manual				
EPITHELIAL CAST	-		/HPF	Absent	Manual				
CRYSTALS	-		/HPF	Absent	Manual				

9-6

Dr. Adley Mark Fernandes Dr. Vyoma V Shah
M.D (Pathology) M.D (Pathology)
Pathologist Clinical Pathologist

This is an electronically authenticated report

P.O Box: 49527

Page 1 of 2

Greeshma P Sidharthan

Printed on: 19/11/2024 16:51

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under

Dubai, UAE

ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.





Tel: +971 4 398 8567 reports@biosytech.ae www.biosytech.com





40038

2411501792

18/11/2024 23:31

19/11/2024 16:49

: 19/11/2024 16:24

Ref No.

Collected

Reported

Registered

Sample No. :

Laboratory Investigation Report

Ms. HAGAR NAGI ANWAR ABDELLATTIF HELMY Name

DOB : 01/08/1989 35 Y / Female Age / Gender Referred by DR ENOMEN

CITICARE MEDICAL CENTER Centre

CLINICAL DATUOLOGY

CLINICAL PATHOLOGY										
Test	Result	Flag	Unit	Reference Range	Methodology					
CALCIUM OXALATE	-		/HPF	Absent	Manual					
CALCIUM CARBONATE	-		/HPF	Absent	Manual					
CALCIUM PHOSPHATE	-		/HPF	Absent	Manual					
TRIPLE PHOSPHATE	-		/HPF	Absent	Manual					
URIC ACID CRYSTAL	-		/HPF	Absent	Manual					
AMMONIUM BIURATE	-		/HPF	Absent	Manual					
AMORPHOUS URATES	-		/HPF	Absent	Manual					
AMORPHOUS PHOSPHATES	-		/HPF	Absent	Manual					
CYSTINE	-		/HPF	Absent	Manual					
LEUCINE			/HPF	Absent	Manual					
TYROSINE			/HPF	Absent	Manual					
DRUG CRYSTAL	-		/HPF	Absent	Manual					
MUCUS THREADS	Present		/HPF	Absent	Manual					
BUDDING YEAST CELLS	-		/HPF	Absent	Manual					
НҮРНАЕ	-		/HPF	Absent	Manual					
OVA	-		/HPF	Absent	Manual					
CYST	-		/HPF	Absent	Manual					
PARASITE	-		/HPF	Absent	Manual					
ARTIFACTS	-		/HPF	Absent	Manual					
Comments : Diago correlate clinically										

Comments: Please correlate clinically

INTERPRETATION NOTES:

Please note change in method (Roche Cobas U6500).

Note: "-" means Absent

URINE Sample Type :

End of Report

Dr. Adley Mark Fernandes Dr. Vyoma V Shah M.D (Pathology) M.D (Pathology) **Pathologist Clinical Pathologist**

This is an electronically authenticated report

P.O Box: 49527

Page 2 of 2

Tel: +971 4 398 8567

ACCREDITED

Test result pertains only to the sample tested and to be interpreted in the light of clinical history. These tests are accredited under ISO 15189:2012 unless specified by (^). Test marked with # is performed in an accredited referral laboratory.

Dubai, UAE



reports@biosytech.ae www.biosytech.com

Greeshma P Sidharthan

Printed on: 19/11/2024 16:51